

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
**WO 2004/026888 A2**

- (51) International Patent Classification<sup>7</sup>: **C07H**
- (21) International Application Number:  
**PCT/US2003/029577**
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNLIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— without international search report and to be republished upon receipt of that report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001) *Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for biological activity and it is reported that optimal CpG DNA sequences can vary among species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN. Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9 recognizes CpG DNA is not understood.

### Summary of the Invention

Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal in response to CpG DNA. To date, the amino acid sequences only of human and murine TLR9 have been reported, and, interestingly, these two species are known to prefer different CpG motifs. The structural basis for this species-specific CpG motif preference has not yet been fully elucidated. The instant invention provides, in part, novel amino acid and nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are useful for elucidating certain key structural features of TLR9. Specifically, comparison of sequences of murine, human, and these novel TLR9 sequences permits identification of areas of highly conserved sequence, areas of group conservation, and areas of hypervariability. In addition, such comparisons permit an assessment of evolutionary relatedness among TLR9 molecules of the various species, as well as an assessment of inter-species homologies. Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9 that may be involved in the CpG binding site, as well as amino acids involved in conferring species specificity for particular CpG motifs. Such information may be used to design and construct novel TLR9 molecules which incorporate specific point or regional mutations and which possess desired ligand binding characteristics. Such information may also be useful in designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
pathway is measured quantitatively and the response mediated by the TLR9 signal  
transduction pathway associated with each of the plurality of test compounds is compared  
with a response arising as a result of an interaction between the functional TLR9 and a  
reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
(porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
5 SHTNILLVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTEQRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLHSLN  
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP  
PASLTPALPSTPVSKNFMVRCKNLRFMTDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNLIKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
AVAVGTVLPLQLHLCGWDVWYCFHLCCLAWLPLLTRGRSSAQLPYDAFVVFDAQSAVADWVYNELRVRLERRG  
15 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA  
HRSRYVRLRQRLCRQSVLFWPHQPNQGQSFWAQLSTALTRDNHHFYNNRNFRCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
20 SHTNILLVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTEQRQKSLDLHPQTFHHLHSHLEGLVLKDSLSLHSLN  
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVWP  
25 PASLTPALPSTPVSKNFMVRCKNLRFMTDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDSLQNKHLILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNLIKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
30

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgcaggaccctgcacccctgtctctcctggtagcagccgcagtgctggtgagggctctggcc  
ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
aagtctgtgcctcacttctctgcgcagaaacccgttccaacatcaccagcctttccttgatcgccaaccgcac  
35 caccacctgcacaacctcgactttgtccacctgcccacgtgcgcacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcaacttctcctgcccagatgaccattgagcccaaaccttctggtatgcgcatgctg  
gaagagctgaacctgagctataacggtatcaccactgtgcccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcacggac  
gggaactgctactacaagaacccctgcaacggggtggaacgtgaccccgagccttctcctgggcttgagcaac  
40 ctcacccacttgctcccttaagtataacaacctcacagaggtgcccgcgaactgccccccagcctggagtacctc  
ctgctgtcctataacctcatcgctcaagctgggggccaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtccttgatctg  
caccctcagactttccatcacctgagccacctgaaggcctggtgctgaaggacagttctctccactcgctgaac  
tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
45 aaaaccagcgcctttcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
ttcgccgcctccacctggcaagttctctcaagagcctggtgtcgctgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctggctgcccgaagctccacacgctgcaccttcaaatg  
aatctcatcaaccaggcgcagctcagcgtcttagtaccttccgagcccttcgctttgtggacctgtccaataat  
cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcgagaaaggggttccatgg  
50 cctgcaagtctcaccctcagctctcccagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga  
ttccatggagctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcatcgcgaggtgtcaatggctctcagttcctgccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggttcagtgagctccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacggtgtggggccgcatgtgggacgaggaggacctttacctctattttctc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggcccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
ttcctgcccactctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggccacctgccta  
ggcacgctcctccagaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctctttgtctgtggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggcctaacggtgtgaagtgtggcagctccccgccagctgcagggccgc  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg  
gctgtggccgtgggcacggtgttgcccttactgcagcatctctgcggctgggacgtctggtactgtttccatctg  
tgccctggcatggctacctttgctgacctggcggcgacgcgccaaagctctcccttatgatgccttcgtgggtg  
ttcgataaaggcgacagcgcggttgctgactgggtgtataacgagcttcgagtgcggttagaggagcgcgcggt  
15 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggcc  
tccatctatggcagccgcaagactctgtttgtgtggccacacggacaaggtcagtgccctcctgcgcaccagc  
ttcctgctggctcagcagcgctgctggaggaccgcaaggacgtggtggtgttggtgatcctgcgcctgatgcc  
caccgctcccgcctacgtgcgactgcgccagcgccctctgcgccagagtgtgctcttctggcccatcagcccaac  
gggcagggcagcttctgggcccagctgagtacagccctgactagggaacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atgggtctctgtcgcaggacctgcaccccttgtctctcctggtacaggccgcagtgctggctgaggtctctggcc  
ctgggtacctgctgccttccctacctgtgaacctgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcgcgagaacccctgtccaaacatcaccagccttctctgatgcgcaaccgcata  
caccacctgcacaacctcgactttgtccacctgcccacacttgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcacttctcctgcgcgatgaccattgagccaaaaccttctctggctatgcgatgctg  
gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta  
agccacaccaacatcctggtactcgatgccagcagcctcgtggcctgcacagcctgcgagttctcttcatggac  
30 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttccctgggcttgagcaac  
ctcaccaccttgtcccttaagtataacaacctcacagaggtgccccgccaaactgccccccagcctggagtacctc  
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgctgctgtgtatcacgcccccgacctctgtacagaatgccggcagaacctcttgatctg  
caccctcagactttccatcacctgagccaccttgaaggcctggtgctgaaggacagttctctccactcgctgaac  
35 tccaagtgggtccagggtctggcgaacctctcgggtgctggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgctttcagaacctgacctgtctgcgaagctcgacctgtccttcaattactgcaagaaggatctg  
ttccgcttactcaacaagaacacgctcaggtggctggctggtctgccaaagctccacacgctgcaccttcaa  
aatttcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat  
40 cgcacagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaagggggttccatgg  
cctgcaagtctcaccacagctctcccgagcactcccgctctcaaagaacttcaggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggtcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacggtgtgggcccgcgtgtgggacgaggaggacctttacctctattttctc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggcccccagaacctcaac  
tacctcccaagagcctgacgaagctgagtttccgtgacaaatcacctctcttctttaactggagcagctctggcc  
50 ttctgcccactctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggccacctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctgtggc  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcacctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggcctaacggtgtgaagtgtggcagctccccgccagctgcagggccgc  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc



- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLLPAFLPCELQPHGLVNCNWLFLKSVPHFSAAAPRANVTLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 RTNILLVLDPTHLTGLHALRYLYMDGNCYYNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRLPPSLETLL  
 5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSLSYLNLD  
 RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSRLNLSFNHYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 10 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVL DVSANPLHCACGATFVGFLLEVQAAPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFGISLLAM  
 ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRRA  
 LRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORLLEDKDVVVLVILRPDAYRS  
 15 RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHFFYNRNFRCRGPPTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLLPAFLPCELQPHGLVNCNWLFLKSVPHFSAAAPRANVTLSLLSNRIH  
 HLHDSDFVHLSSLRTNLKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTPALPDSLVSLSLS  
 20 RTNILLVLDPTHLTGLHALRYLYMDGNCYYNPCQGALEVVPGALLGLGNLTHLSLKYNNTLEVPRLPPSLETLL  
 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHKPLHSDTFSHLSRLEGLVLKDSLSYLNLD  
 RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSRLNLSFNHYHKKVSFAHLHLAPSFGLHLSRLKELDMHGIF  
 RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVLPSR  
 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
 25 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
 ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHHTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
 PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
 LKVL DVSANPLHCACGATFVGFLLEVQAAPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcactgtagctgctgcccggctctgccagccagaccctttggagaagacccccactccctgt  
 catgggccccgcgtgcacccctgcacccctttctctcctgctgaggtgacagcgctggctgcggctctggccca  
 gggcaggctcctgccttcctgcctgtgagctccagccccagggcctggtagactgcaactgcctcttcctgaa  
 gtcctgtccccactctctcggcgagcgccccgggccaacgtcaccagcctctccttactctcaaccgcaccca  
 35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
 tggcctcagccccatgcacttccccctgccacatgaccatcgagcccaacaccttcttgccgctgcccaccctgga  
 ggagctgaacctgagctacaacagcatcacgacgtgctgcccactgcccactccctcgtgtccctgtcgctgag  
 ccgcaccaacatcctgggtgctagacccccaccacctcactggcctacatgccctgcgctacctgtacatggatgg  
 caactgctactacaagaacccctgccagggggcgctggaggtggtgcccgggtgccctcctcggcctgggcaacct  
 40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct  
 gttgtcctacaaccacattgtcacccctgacgcctgaggacactggccaatctgactgccctgcgctgcttgatgt  
 gggggggaaactgcccgcgctgtgaccatgcccgcacccctgcaggagtgcccaaggaccacccccaaactgca  
 ctctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaagacagttctctctacaacctggacac  
 cagggtggttcaggaggcctggacaggctccaagtgtggacctgagtgagaacttctctacgactgcatcaccaa  
 45 gaccacggccttcaggggcctggccgactgcgagcctcaacctgtccttcaattaccacaagaagggtgtcctt  
 tgcccacctgcacctggcacccctcctttgggcacctccggctccctgaaggagctggacatgcatggcatcttctt  
 ccgctcgtcagtgagaccagctccaacctctggtccaactgcctatgctccagaccctgcgctgcagatgaa  
 cttcattaaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggaacaaccg  
 catcagcggagctgcaaggccagtgccattactaggagggtggtgtagggagagggtgctggtgccttcag  
 50 gaacctcgtccactccactggacactctccgctcagaggacttcagtgccaaactgcaaggccttcagcttcac  
 cttggacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgctctcacgcctcgagtgct  
 ggcctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtcgctgaccagcctgcgggtgct  
 ggacctgtccacaacaagctggacctgtatcacggcgctcggttcacggagctgcccgcgctggaagcactgga  
 cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtgctccagcagctctgtagcgccctactgtg  
cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctcctgccacgtgccctggacaacct  
ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
5 gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
ccagctgcggaggctggacctcagtggaacacatcggtttgtgaacctggcttctttgccctggccaagca  
gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaa  
cctgaaagtctagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggttctctgtgga  
10 ggtacaggctgccgtgcctgggtgcccagccgctcaagtgtggcagtcggggcagctccaggccatagcat  
ctttgcgcaagacctgcccctctgcctggatgagacctctcgtggaactgttttggcatctcgtgctggccat  
ggcctgggtggctgtgtgcccctgctgcaccacctctgcggctgggacctctgggtactgcttccacctgtgcct  
ggcctgggtgcccacaggaggcagcgggggggcgacagccctgttctatgatgccttcgtggttcttgacaa  
agctcagagtgtgtggccgactgggtgtacaacgagctgcccgtgagctggaggagcgccgtggggcgccgctg  
actgcgcctgtgcctggaggagcgagactgggttacctggcaagacgctcttcgagaacctgtggccctcagctc  
15 cagcagccgcaagacctgtttgtgctggcccacacggacctgtcagcgccctcttgcgtgccagtcttctgct  
ggcccagcagcgctgtggaggaccgcaaggacgttgtagtgtggtgatcctgcgccccgatgcctaccgctc  
ccgtacgtgcggctgcccagcgctctgcccagagtgctcctccttggccccaccagccccgtgggcaggg  
cagcttctggggccagctgggcacagccctgaccagggaacaccacctctataaccggaactcttgccgggg  
20 cccacagacagccgaatagcactgagtgcagccagctgtgccccagccccctggatttgctctctgctgggg  
tgcccaacctgtttgctcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt  
aacatgtgccaataaatgtaccggaggggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcacccctttctctcctgggtgcaggtgacagcgctggctgcggctctggccccag  
25 ggcaggctgcctgccttccctgctgagctccagccccagggcctgggtgaactgcaactggctcttccctgaag  
tccgtgccccacttctcggcgccagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatccac  
cacctgcacgactccgacttctgctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
ggcctcagccccatgcacttccctgccacatgaccatcgagcccaacaccttcttggcgtgcccacctggag  
30 gagctgaacctgagctacaacgacatcacgacctgacctgcccctgcccagctccctcgtgtcctgtcgctgagc  
cgcaccaacatcctgggtgctagacccacccacctcactggcctacatgccctgcgctacctgtacatggatggc  
aactgctactacaagaacctgcccagggggcgctggagggtgggtgcccgtgcccctcctcgccctgggcaacctc  
acacatctctcactcaagtacaacaatctcacggaggtgccccgagcctgccccccagcctggagacctgctgt  
35 ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcccctgcgcttgcctgtg  
ggggggaactgcgcgcgtgtgacctgcccgaacctgagggagtgcccaaaggaccacccaagctgcac  
tctgacaccttcagccacctgagcgcctcgaaggcctgggtgttgaaagacagttctcttacaacctggacacc  
aggtggttccgaggcctggacaggtcccaagtgtggacctgagtgagaacttctctacgactgcacaccaag  
40 accacggccttccaggccctggcccgactgcgcagcctcaacctgtccttcaattacacaaagaggtgctctt  
gcccacctgcacctggcacccctccttggggacctccggtccctgaaggagctggacatgcacatgctcttctc  
cgctcgctcagtgagaccagctccaacctctgggtccaactgacctatgctccagacctgcgctgcagatgaac  
45 ttcatataaccagggccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggaacccgc  
atcagcggagctgcaaggccagtgccattactagggaggtggatggtagggagagggctcggtgcttccagg  
aacctcgctccacgtccactggacactctccgctcagaggacttcatgcccactgcaaggccttcagcttacc  
ttggacctgtctcggaacaacctgggtgacaatccagtcggagatgtttgctgcctctcacgcctcgagtgcctg  
50 cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgcgctgaccagcctgcccgtgctg  
gacctgtcccacaacaagctggacctgtatcacgggcgctcgttcacggagctgcccgcgctggaagcactggac  
ctcagctacaatagccagccctttaccatgcagggtgtggggcacaacctcagcttcgtggcccagctgcccgc  
ctgcgtacctcagcctggcgacacatgacatccatagccagtgctcccagcagctctgtagcgctcactgtgc  
gcccgtgacttttagcggcaacgatctgagccggatgtgggtgagggagacctctatctccgcttcttccaaggc  
55 ctaagaagcctagtctggctggacctgtcccgaaccacctgcacacctcctgccacgtgcccgtggacaacctc  
cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
cagctgcggaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttggcctggccaagcag  
ttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcgatgggtgggcaac  
60 ctgaaagtcttagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggttctctgtggag  
gtacaggctgcccgtgctgggtgcccagccgctcaagtgtggcagtcggggcagctccaggggccatagcatc  
tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCRALEVAPGALLGLGNLTHLSLKYNNTLTPVRRLLPPLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDFTSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 10 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQFSPMQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPWFSGSLAGTL  
 KILDV SANPLHCACGA AFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFLSLLMVA  
 LGLAVPMLHHLCGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL  
 15 RLCLERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR  
 YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 20 HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLSL  
 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCCRALEVAPGALLGLGNLTHLSLKYNNTLTPVRRLLPPLDITLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDFTSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 25 GLAPGPLDAVSSKDFMPSCNLFNFTLDLSRNNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQFSPMQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPWFSGSLAGTL  
 KILDV SANPLHCACGA AFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFLSLLMVA  
 30 LGLAVPMLHHLCGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL  
 RLCLERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR  
 YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNRNFCRGPTTAE

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgcccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcac  
 tccctgtcatgggcccactgtgccccgcaccccccttctctcctggtgcaggcgccgactggcagcgccccc  
 35 tggccgagggcaccctgcctgccttccctgcccgtgagctccagcccatggtcaggtggactgcaactggctgt  
 tctgaagtctgtgcgcgacttttccgctggagccccccggcccaatgtcaccagcctctccttaatctccaacc  
 gcatccaccacttgcagctgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc  
 cgccggccggcctcagcccatgcaacttccctgcgctatgaccatcgagcccaacacacttccctggtgtgcccc  
 ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcccagttccctcgtgtccctgt  
 40 cgctgagccacaccagcatcctggtgctaggccccaccacttcacggcctgcacgcccctgcttctgtaca  
 tggacggcaactgctactacatgaaccttgcgcggccgctggaggtggccccaggcgccctcctcgccctgg  
 gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggaca  
 ccctgctgtgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgcccgtgcgctgc  
 ttgacgtgggtgggaactgcccgcgctgcgacctgcccgaaccttgcaggagtgcccaagaacttcccca  
 agctgcacctgacacctcaagtacactgagccgctcgaggcctggtgtgaaggacagttctcttacaac  
 45 tagagaaagattggttcccgccgctgggagggctccaagtgtcgacctgagtgagaacttccctctatgactaca  
 tcaccaagaccacattctcaacgacctgaccagctgcgagactcaacctgtccttcaattaccacaagaagg  
 tgtccttcgcccactgcacctagcgtcctcttggagctcgtggtgctccctggagaagctggacgtgcacggca  
 tcttcttcgctccctcaccacatcacgctccagtcgctgacccgctgcccagctccagagctcgcactgc  
 agctgaacttcatcaaccaggccagctcagcatcttggggccttcccagcctgctctcgtggacctgtcgg  
 50 acaaccgcatcagcgagccgagccagcgccgctgggggaggtggacagcagggtggaagtctggcgat  
 tgccaggggcctcgtccaggccgctggagccgctcagctcaaaggacttcatgccaagctgcaacctcaact  
 tcaccttgacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgccctccagt  
 gcctgcgctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgccgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggcccagctgc  
cctccctgcgctacctcagccttgccgacaatggcatccacagccgctgtcacagaagctcagcagcgccctcgt  
5 tgcgcccctggacttcagcggcaactccctgagccagatgtggggcgaggagacctctatctctgctttttca  
aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacaccctcctgctcgtcactggaca  
acctgcccgaagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tccctgccccggttgggaagcctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcccctg  
gcatccggctccagaagctggacgtgagcagcaacagcatcggtctcgtgatccccggcttctcgtccgcgca  
10 ctcggtgatagacttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcgttcccttagcag  
ggacctgaaaatcctagacgtgagcgccaacctgcctcactgcgctgcccggcgccctttgtggacttctgc  
tggagagacaggaggccgtgcccgggtgtccaggcgctcacatgtggcagctccgggcccagctccaggccgca  
gcatcttcacacaggacctgcgctctgcctggatgagacctctccttggaactgctttggcctcactgctaa  
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
15 gctggcccttggcccagcggcgggcgaggacacctgctctatgatggcgtcgtggctctcg  
acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgctgcagctggaggagcggggggcgcc  
ggcgctccgctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagccgaagacctgttctgctgagaccacagcgggctcagcgccctcctgcgcgccagcttcc  
tgcctggcccagcagcgccctgttggaggaccgaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc  
gggtccgctacgtgcggctgcgccagcgccctctgcgccagagcgtcctcctctggccccaccagccagtgggc  
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacacctcactctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgcccgcaccccccttctctcctgggtgcaggcgccggaactggcagcggccctggccgag  
25 ggcacctgctgcttccctgcccgtgagctccagcccatgggtcaggtggactgcaactggctgttctgaag  
tctgtgcgcacttttccgctggagcccccgggccaatgtcaccagcctctccttaacttccaaccgcatccac  
cacttgcagctctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
ggcctcagccccatgcacttcccctgcccgtatgaccatcgagcccaacaccttctggctgtgcccacctggag  
gagctgaacctgagctacaacggcatcacgaccgtgcctgcccagttccctcgtgtcctgtcgctgagc  
30 cacaccagcatcctgggtgctaggccccaccaccttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactacatgaacctcctgcccggggccctggaggtggccccaggcgccctcctcgccctgggcaacctc  
acgcacctgctcgtcaagtacaacaacctcacggaggtgccccggcgccctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcacctggcaccggagacctggccaacctgactgcccctgcgctgcttgacgtg  
gggtgggaactgccgcgctgcgacctgcccgaaccttcagggagtgccaaagaacttccccagctgcac  
35 cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
gattgggttcggcgccctgggcaggtccaagtgtcagctgagtgagaacttctctatgactacatcaccaag  
accacctcttcaacgacctgaccagctggcgagactcaacctgtccttcaattaccacaagaaggtgtccttc  
gcccacctgcacctagcgtcctccttgggagctcgtgtccttggaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgtccagtcgctgaccggctgcccagctccagagctctgcatctgcagctgaac  
40 ttcataaccaggcccagctcagcatcttggggccttcccgagcctgctcttcgtggacctgtcggacaaccgc  
atcagcggagccgcagccagcgccgcccctggggaggtggacagcaggggtggaagtctggcgattgcccagg  
ggcctcgtccaggcccgtggacccgtcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgccctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctccagttcgtgcccgtgaccagcctgcgagtgctcgac  
45 ctgtcccaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcagggcgctgggccaacctcagcttctggtggcccagctgcccctcctg  
cgctacctcagccttgcgcacaatggcatccacagccgctgtcacagaagctcagcagcgccctcgttgcgcgc  
ctggacttcagcgggcaactccctgagccagatgtggcgaggagacctctatctctgcttttcaaaggcttg  
aggaacctggctcagctggacctgtccgagaacctctgcacacctcctgctcactggacaacctgccc  
50 aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc  
cggtggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcccctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggtctcgtgatccccggcttcttcgtccgcgcgactcggtg  
atagagcttaacctcagcgccaatgcctgaagacagtggatccctcctgggttcggttctttagcagggaacctg  
aaaatcctagacgtgagcgccaacctgcctcactgcgctgcccggcgccctttgtggacttctgctggagaga  
55 caggaggccgtgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggcccgagcatcttc  
acacaggacctgcgctctgctggatgagacctctccttggactgcttggc

- 15 -

## SEQ ID NO:13 (Equine TLR9)

5 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL  
10 LLSYNHIVTLAPEDIANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
PRWFRGLGNLTIVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMQLRQLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
15 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFPMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLVDVSANPLHCACGAADFVDFLLQVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALSADAFVVFDAQSAVADWVYNELRVRLERERRGR  
15 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRILLEDRKDVVVLVILSPDARR  
SRVRLRQRLCRQSFLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCGPTMAE

## SEQ ID NO:14 (Equine TLR9)

20 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFPCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL  
LLSYNHIVTLAPEDIANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
PRWFRGLGNLTIVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF  
25 FRSLSQKTLQPLARLPMQLRQLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFPMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
30 SLEVLVDVSANPLHCACGAADFVDFLLQVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaaggactgagcagacaaagcatcctcctctgagctgctgccagtg  
tgccagctggaccctctggatcatctcccactcctgtcatggcccttgccatggtgacctgagccctgtct  
ctcctggtgagggccatgctggccgtggtctggtgccaaggcaccctgcctcctctgacctgtgagctc  
35 cagcccccagggcctggtgaactgcaactggctgttctctgaagtccgtgccccacttctcagcagcagcaccgg  
gacaatgtcaccagccttctctgtctctcaaccgcatccaccacctccacgactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagcccatgcacttcccctgccacatg  
accatcgagcccaacacttctcctggctgtacccaccctggaggagctgaacctgagctacaacggcatcacgact  
gtgacctgacctgcccagctccctcgtgtccctgatcctgagccgcaccaacatcctgagctagacccaccagc  
40 ctcacgggcctgcatgacctgacctctctatacatggatggcaactgctactacaagaaccttgccggcgggcc  
ctggaggtggccccagggccctccttgccctgggcaacctcaccacactgtcactcaagtacaacaacctcaca  
acggtgccccgcagcctgccccctagcctggagtacctgctgtgtctctacaaccacattgtcaccctggcacct  
gaggacctggccaactgactgacctgacctgtgctcgatgtgggtggaaactgcccgcgctgtgacctgacgc  
aaccctgacctggagtggccacataaattccccagctgactccgacacctcagccacctaagccgcctagaa  
45 ggcctcgtgtgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgacctgagtgagaacttctctacgactgcatcaccaaaaccaaggcattccagggcctggcccagctgca  
agactcaactgtccttcaattaccataagaagggtgctccttcgcccacctgacgtggcaccctcctctgggagc  
ctgctctcctgaggaactggacatgcatgctctctcgcctcactcagccagaagacgctccagcagctg  
gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggccagctcgccatcttcaag  
50 gacttccctggctctgcgctacatagactgtcagacaaccgcatcagtggagctgtggagccgggtggccaccaca  
ggggaggtggatgggtgggaagaaggctctggctgacatccaggggacctcactccaggccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcccttgacctgtcacggaacaacctggtaacagtc  
cagccagagatgtttgcccagctctcgcgcctccagtgctgctgacctgagccacaacagcatctcgcaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtaccat  
gggcgctcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagcccttcagcatgcgg  
ggtgtgggccacaacctcagctttgtggccagctgccaccctgcgtacctcagcctggcacacaatggcatc  
cacagccgtgtgtccagcagctctgcagcacctcgcgtgtgggcccctggacttcagcggcaattccctgagccag  
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaaccggctagacctgtcccag  
aatcgtctgcataccctcctgccatgcacctgggcaacctccccaaagagcttgagctgctgctgctccgtaac  
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
cagctgaagcctctgagcaatggcagcctgccttctggcaccagctccagaggctggacctcagcaggaacagc  
atcatcttcgtgggtccctggcttcttctgctctggccacgaggctgcgagagctcaacctcagtgccaacgcctc  
10 aggcagagaggagccctcctggtttggtttcctagcaggctcccttgaaagtccctagatgtgagcgccaacctctg  
cactgcgcctgtggggcagcctttgtggacttctgctgcaggttcaggctgccgtgctggtctgccagccgc  
gtcaagtgtggcagtcggggcagctccagggccgcagcatcttcgcacaagacctgcgcctctgctggacaag  
tccctctcctgggactgttttggctctctcattgctggttgtggccctgggctggccatgcctatgttgaccac  
ctctgcggctgggacctctggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc  
15 gcggtatgcctgagctatgatgcctttgtggtcttcgacaaggcacagagcagtgccgactgggtgtacaat  
gaactgcgggtgcggctagaggagcgccgtggcgccggcgctccgcctgtgtctggaggagcgtgactggcta  
cctggcaagacgctgttcgaaaacctgtgggacctcagctacagcagccgcaagatgctgtttgtgctggccac  
acggaccaggtcagtgccctcttgcgtgccagcttctgctggccagcagcgtctgctggaggaccgcaaggac  
gttgtggtgctggtaatcctgagccctgagcccgccgttcccgttacgtgcggctgcgcagcgccctctgcgc  
20 cagagtgtcctcttctggccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc  
agggacaaccgccacttctataaccagaacttctgccccggggccgcagatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgaccttgccctctgctcctatgatgccagctctgcctcactctgtgacgccc  
tgctctgcctccgccacctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaaa  
25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatggtgcccctgcagccctgtctctcctgggtgcaggcgcccatgctggcctggtctgtgcc  
caaggcaccctgcctcccttctgcccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctg  
aagtccgtgccccacttctcagcagcagcaccgccgggacaatgtcaccagccttctcctgtctccaaccgcac  
30 caccacctccacgactccgactttgcccaactgtccaacctgcagaaactcaacctcaaattggaactgcccgcca  
gccggcctcagccccatgcacttccccctgccacatgaccatcgagcccaacacttctcctggctgtaccacccctg  
gaggagctgaacctgagctacaacggcatcagcactgtgcctgcctgcccagctccctcgtgtccctgatcctg  
agccgcaccaacactctgcagctagaccgccagcctcacgggctgcagcctgcgcttctctacataggtgat  
ggcaactgtactacaagaacctgcgggcccctggagggtggccccaggcgccctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg  
ctgttgcctacaaccacattgtcaccttggcacctgaggacctggccaatctgactgcctgctgctgctcgat  
gtgggtggaaactgcgcgcctgtgacacatgcaagcaaccttgcctggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgcctagaaggcctcgtgtgaaggatagttctctctaccagctgaac  
cccagatggttccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttctctacgactgcacacc  
40 aaaaccaaggcattccaggccctggcccagctgcgaagactcaactgtccttcaattaccataagaagggtgcc  
ttcgcccacctgacgtggcaccctccttcgggagcctgctctccctgcaggaaactggacatgcatggcatcttc  
ttccgctcactcagccagaagacgctccagccactggcccgccctgccatgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggccagctcggcatcttcaaggacttccctggctctgcgtacatagacctgtcagacaac  
cgcatcagtgagctgtggagccggtggccaccacaggggaggtggatgggtgggaagaaggctcggctgacatcc  
45 agggacctcactccaggccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttgcccagctctcgccctccagtg  
ctgcgctgagccacaacagcatctcgcaggcggtcaatggctcacagttcgtgccactgaccagcctgcaggtg  
ctggacctgtccataacaaactggacctgtaccatgggcgctcgtttacggagctgccgcgactggaggccctg  
gacctcagctacaacgagccagcccttcagcatgcggggtgtggggccacaacctcagctttgtggccagctgcc  
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagctctgcagcacctcgtg  
tgggcccctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa  
ggcctgagaagcctaattccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac  
ctccccaaagagcttgagctgtgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgcccacacctggaaacctggacctggctggaaaccagctgaaggctctgagcaatggcagcctgccttctggc  
55 accagctccagaggctggagctcagcaggaacagcatcatctcgtgggtccctggcttcttctgctctggccag  
aggctgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggttgggttctctagcaggc  
tcccttgaaagtccctagatgtgagcgccaacctctgcactgcgctgtggggcagccttctggaacttctgctg

- 17 -

cagggttcagggtgccgtgccgtgtctgccagccgcgtcaagtgtggcagtcggggccagctccaggggccgcagc  
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPALPCELPQRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCTMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDHMGIF  
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLFNLTDLRSNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSTVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDCFGSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRGRRL  
RLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORLLEDKDVVVLVILRPAAYRSR  
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPALPCELPQRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCTMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAQVEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK  
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDHMGIF  
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSIFGAFPSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLFNLTDLRSNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSTVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcagcggaagtgcgcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga  
35 agccgcattccctgccatgggcccctactgtgcccgcaccccccttctctcctggtgcaggcgccggtggtg  
agcagccctggcccagggcaccctgctgccttctgcctgtgagctccagccccgggtaaggatgaactgaa  
ctggctgttctgaagtctgtgccgcgttttcggccggagccccccggccaatgtcaccagcctctcctaat  
ctccaaccgcatccaccacttgacagactctgacttcgtccacctgtccaacctgcccgtcctcaacctcaagt  
gaactgcccgcggcgccgctcagccccatgacttcccctgcccgcagaccatcgagcccaacaccttctggc  
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgct  
tctgtacatggacggcaactgctactataagaaccttgccagcaggccgtggagggtggccccagggcgcctcct  
tggcctgggcaacctcacgacactgtcgtcaagtaacaacctcacggagggtgccccgcgctgccccccag  
cctggacacctgtgctgtcctacaaccacatcatcaccctggcaccgaggacctggccaatctgactgccct  
45 gcgtgtgctgatgtgggagggaactgccgcgctgcgaccacgcccgaacccctgcaggagtgcccaagaa  
cttccccaaagtgcaccctgacacctcagccacctgagccgcctcgaaggcctggtgtgaaggacagttctct  
ctacaaactagagaaagactggttccgcccctgggcaggctccaagtgtcgacctgagtgagaacttctctta  
tgactacatcaccaagaccacatctcaggaacctgaccagctgcgcagactcaacctgtcctcaattacca  
caagaagggtgctccttcgcccacctgcaactggccacctcctttgggggctggtgtccctggagaagctggacat  
50 gcacggcatcttcttcgctccctcaccaaccacgctccggccgctgaccagctgcccagctccagagctct  
gagctgtcagctgaactcatcaaccaggccgagctcagcatctttggggccttcccagagcctgctctcgtgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcctcggggagggtggacagcggggtggaagt  
ctggcggtggcccaggggctcgtccaggcccgctggccgcgctcagcgcaaaggacttcatgccaagtgcga



- 18 -

cctcaacttcaccttggaacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg  
cctccagtgccctgagccacaacagcatctcgaggcggttaatggctcgagttcggtgcccgtgacccg  
cctgagtgctcgacctgtcctacaacaagctggacctgtaccatgggcgctcggtcacggagctgcccagct  
5 ggaggcactggacctcagctacaacagccaccttcagcatgcagggcggtgggccacaacctcagcttcgtggc  
ccagctgccgtccctgagctacctcagccttgccgacaacggcatccacagccgctgtcacagaagctcagcag  
cgctcgctgcgcgacctggacttcagcggcaactccctgagccagatgtggccgaggagacctctatctctg  
cttcttcaaaggcttgaggaaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgctca  
cctggataacctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct  
10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggtttgtgacccctggcttctttgt  
ccttgccaaccggctgaaagagcttaacctcagcgccaacggcctgaagacagtggtatccctctggttcggctcg  
cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgctgcccggcgcccttctgtgga  
cttctgctggagatgcaggcgccgctgctgggctgtccaggcgctcagctgtggcagctccgggcccagctcca  
ggcgccgagcatcttcgacaggacctgcgcctctgcctggatgagacctctccttggaactgtttggcttctc  
15 gctgctaattgggtggcgctgggctggcggtgcccctgctgcacacctctgtggctgggacctgtggtactgctt  
ccacctgtgtctggccatttgcggcagcgccggcgagcgggcgaggacacctgctctacgatgccttcgt  
ggcttctcgacaaggcgagagtgagtgccgactgggtgtacaacagagctcccgctgcagctggaggagcgccg  
cgggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
ggcctcggtctacagcagccgtaagacctgttctgctggaccacacggaccgggtcagtggtcctctgcgcgc  
20 cagcttctgctggcccagcagcgctgttgaggagccgaaggatgtcgtggtgctggtgatcctgcgccccgc  
cgctaccggctccgctacgtgcggctgcgcccagcgctctgcgcccagagcgctcctccttgccccaccagcc  
cagtgggccagggtagcttctgggccaacctgggcatggcctgaccagggaacaaccggccactctctataaccggaa  
cttctgcccgggccccacgacagccgaatagcacagagtgcactgccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atgggcccctactgtgccccgaccccccttctctcctggtagggcgccggcgctggcagcagccctggcccag  
ggcaccctgctgcttctgcccctgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag  
tctgtgcccgcgttttgcggccgagccccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
cacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
30 ggctcagccccatgcacttcccctgcgcgatgacctcgagcccaacaccttccctggctgtgcccaccctggag  
gagctgaacctgagctacaatggcatcacgacctgctgcccctgcccagttctctcgatccctgtcgctgagc  
cgccagcatcctgggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc  
aactgctactataagaacctgtccagcagggcgtgagggtggccccagcgccctccttggcctgggcaacctc  
acgcacctgtcgctcaagtacaacaacctcacggagggtgccccgcgcctgccccccagcctggacacctgctg  
35 ctgtcctacaaccacatcatcaccctggcaccgaggacctggccaatctgactgcccctgctgtgcttgatgtg  
ggcgggaaactgcccgcgctgcgaccacgcccgaaccttcagggagtgcccaaagaacttccccagctgcac  
cctgacaccttcagccacctgagccgctcgagggctgggtgtgaggacagttctctctacaacctagagaaa  
gactgggtccgcggcctgggagggctccaagtgtcgacctgagtgagaacttccctctatgactacatcaccaag  
accacctcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
40 gcccacctgcaactggcaccctccttgggggctgggtgcccctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccacacacagctccggcgctgaccagctgcccagctccagagcttgagctgcagctgaac  
ttcatcaaccaggccgagctcagcatcttggggccttcccgagcctgctcttcgtggacctgtcggaacaaccgc  
atcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagtctggcggtggcccagg  
ggcctcgctccaggcccgtggccgcccgtcagcgcaaggacttcacgcaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccgcctccagtgccctgcgc  
ctgagccacaacagcatctcgaggcggttaatggctcgagttcgtgcccgtgacccgctgcgagtgctcgac  
ctgtcctacaacaagctggacctgtacctgggctcgttcacggagctgcccagctggaggcactggacctc  
agctacacagcagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggcccagctgcgctcctg  
cgctacctcagcccttgccgacaacggcatccacagccgctgtcacagaagctcagcagcgctcgctgcgcgc  
50 ctggacttcagcggcaactcctgagccagatgtggggcgaggagacctctatctctgcttcttcaaaggcttg  
aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtcacctggataacctgccc  
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgcccactggcaccgg  
ctccagaagctggacgtgagcagcaacagcatcggtttgtgacccctggcttcttctgcttggccaaccggctg  
55 aaagagcttaacctcagcgccaacgcctgaagacagtggtatcccttctgggtcggttcgttaacagagacctg  
aatatcctagacgtgagcgccaaccgctccactgtgctgcccggcgcccttctgtgacttctgctggagatg



- 19 -

caggcgccgctgcctgggctgtccaggcgctcacgtgtggcagtcggggccagctccagggccgcagcatcttc  
gcacaggacctgcgcctctgcctggatgagacctctccttggactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
SRTNILLVDPATLAGLYALRFLFLDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTLVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGLDLYLRFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSFFALAVRLRELNLNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRGRRRGVDALAYDAFVVDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTFLVLARTDRVSGLLRASFLLAQQRLLLEDKRDVVLVILCPDA  
 HRSRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRFYNQNFRCRGPPTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPALFLPCELQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDLNLNSYNSITTVPALPSSLVLSL  
 SRTNILLVDPATLAGLYALRFLDGNCCYYKNPCQALQVAPGALLGLNLTHLSLKYNNTTVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 20 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGLDLYLRFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSFFALAVRLRELNLNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSL  
 25

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggcccctgcccgtggcgccctgcaccccctgtctctcctgggtgcaggtgcgcgccta  
 gccctggccctggcccagggcaccctgcctgcttccctgcccctgtgagctccagcccatggcctggtaactgc  
 30 aactggctgttctcaagtccgtgcccgccttctcgccagctgcaccccgcggaactgcaccagccttctctg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaag  
 tggaaactgcccgcggccagcctcagcccatgcactttccctgtcacatgaccattgagcccaacaccttctctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctgggtgtgagccctgccaccctggcaggcctttatgccctgcgc  
 35 ttctgttctcctggatggcaactgctactacaagaacccctgccagcaggccctgcaggtggcccccaggtgccc  
 ctgggctgggcaacctcacacacctgtcactcaagtacaacaacctcaccgtgggtgcgcggggcgtgccccc  
 agcctggagtacctgctctgtcctacaaccacatcacccctggcacctgaggacctggccaactgactgcc  
 ctgctgtcctcgatgtgggtgggaactgtcgccgtgtgacctgcccgttaacccctgcaggagtgccccaag  
 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctct  
 40 ctctacagcctggaccccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgagaacttctctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac  
 atacatggcatcttcttcgctcgctcagcaagaccagctccagctcgctggccacctgcccagctgctccagcgt  
 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcccttccctggactgcggtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagctcccggaacctgtctgggcccactgggcaccccggtcagaggccttcatgccg  
 agctgcaggacctcaacttcaccttggaacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccgctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtg  
 cctctgagcaacctgcgggtgtggacctgtccataacaagctggacctgtaccacgggcgctcgttcacggag  
 50 ctgcccgggtggaggccttggaacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacatctc  
 agctttgtggcacagctgccagccctgcgctacctcagctggcgcaaatggcatccacagcccggtgtcccag  
 cagctccgagcgtcgctcgctccgggcccgtgactcagtggaacatccctgagccagatgtgggcccagggagac  
 ctctatctccgcttcttccaaggcctgagaagcctgggtcagctggacctgtcccagaatcgctgcataccctc  
 ctgccacgcaacctggacaacctcccaagagcctgcggctcctgcggctccgtgacaattacctggcttctctc  
 55 aactggagcagcctggccctcctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcceaacggcaccagctccagaggtggacctcagcggcaacagcatcggcttcgtgggtcccc  
 agcttttttgccttggcgtgaggttcgagagctcaacctcagcgccaacgacctcaagacggtggagccctcc  
 tgggttgggttccctggcgggtgcctgaaagtccctagacgtgaccgccaaccccttgcatctgcgttgccgca  
 5 accttcgtggacttcttgcgtggaggtgcaggctgcgttgcccgccctgcttagcgtgtcaagtgcggcagcccg  
 ggccagctccagggccgcagcatcttcgcacaggacctgcgcctctgcttggaagcagcgtctcctgggtctgt  
 ttcagcctctcgtgctggctgtggccctgagcctggctgtgcccatgctgcaccagctctgtggctgggacctc  
 tggtagcttccacctgtgcctggcctggctgccccggcgggggcgccgagggtgtggatgccttggcctat  
 gacgccttcgtgggtcttcgacaaggcgcagagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta  
 10 gaggagcgccgtggcgccggcgctacgcctgtgtctggaggaaactgactgggtaccgggcaaaacctcttc  
 gagaacctctgggctcagtttacagcagccgcaagacgctgtttgtgctggcccgacggacagagtcagcggc  
 ctctgctgcccagcttctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctgggtgac  
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgccagcgctctgcccagagtgctcctcctctgg  
 cccaccagcccagtgccagcgcagcttctgggcccagctgggcacggccctgaccagggacaaccggccacttc  
 15 tacaaccagaacttctgcccggggcccaacgacagcctgataggcagacagcccagcaccttcgcgccccacacc  
 ctgcctgtctgtctgggatgcccagcctgctggctctacaccgcgctctgtctcccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atgggccccctgcgtggcgccctgcacccccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc  
 20 cagggcaccctgcctgccttctcctgcctgtgagctccagccccatggcctgggtgaactgcaactggctgttctc  
 aagtcggtgccccgcttctcggcagctgcacccccggttaacgtcaccagccttctcctgtactccaaccgcatc  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggactgcccgc  
 gccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctggctgtgccacccta  
 25 gaggacctgaatctgagctataacagcatcacgactgtgcccgccttgcctgagttcgttctcctgtcctgt  
 agccgcaccaacatcctgggtgctggacctgcccacctggcaggccttctatgcctgcgcttctcctgttctcctg  
 ggcaactgctactacaagaacccctgcccagcaggccttgcaggtggccccaggtgcctcctgggctgggcaac  
 ctcacacacctgtcactcaagtacaacaacctcacctgggtgcgcggggcctgccccccagcctggagtacctg  
 ctcttctcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 30 gtgggtgggaactgtgcgcgctgtgacctatgccgtaacccctgcagggagtgccccaagggttccccagctg  
 ccccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac  
 cccaggtgggttccatggcctgggcaacctcatgggtgctggacctgagtgagaacttccctgtatgactgcacacc  
 aaaaccaaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattatcataagaagggtgtcc  
 35 ttgcccacctgcactc  
 ttccgctcgtcagcaagaccagctccagtcgtggccacctgcccctgctccagcgtctgcactctgcagttg  
 aactttatcagccaggcccagctcagcatcttcggcgcttccctggactgcggtacgtggacttgtcagacaac  
 cgcacagtgaggctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagctctggcca  
 40 cagtcgccgggaccttgcctcctgggcccactgggcacccccggctcagaggccttcatgcccagctgcaggacctc  
 aacttcaccttggacctgtctcggacaacctagtgcactgttcagccggagatgtttgtccggctggcgcgccctc  
 cagtgccctgggctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtgcctctgagcaacctg  
 cgggtgctggacctgtccataacaagctggacctgtaccacgggctcgttcacggagctgcgcggctggag  
 45 gccttggacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaactcagcttctgtggcag  
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccgggcccctggacttgcagtggaataacctgagccagatgtgggcccaggaggagacctctatctccgcttc  
 ttccaaggcctgagaagcctgggtcagctggacctgtcccagaatgcctgcataacctcctgccacgcaacctg  
 50 gacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttcaactggagcagcctg  
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttggcc  
 aacggcaccagctccagaggctggacctcagcggaacagcatcggttctcgtgggtccccagcttttttgccttg  
 gccgtgaggtctcagagctcaacctcagcgccaacgacctcaagacgggtggagccctcctgggttgggtccctg  
 gcgggtgccctgaaagtctagacgtgacggccaaccccttgcatcgcttgcggcgcaacctcgtggacttc  
 55 ttgctggaggtgcaggctgcgggtgccggcctgcctagccgtgtcaagtgcggcagccggggcagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

55 MGPCHGALHPLSLVQAAALAVLAQGTLPALPCELQRHGLVNCWDLFLKSVPHFSAAAPRGNVTSLSLSYNSRI  
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLVLSL

- 22 -

SRTNIIIVLDPANLAGLHSLRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNLHLEGLVLKDSLSYLN  
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF  
 5 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLLRLRDNILAFFNWSSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 10 TLKVLDDVTGNPLHCACGAADFVDFLELVQAAVPGPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFLSLT  
 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLEERRGR  
 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQLLEDRKDVVVLVILRPDAHR  
 SRYVRLRQLRCQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCGPPTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLIVQAAALAVALAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 HHLHDSDFVHLSLRLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLSVLSL  
 SRTNIIIVLDPANLAGLHSLRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNLHLEGLVLKDSLSYLN  
 20 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF  
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLLRLRDNILAFFNWSSSLVL  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 25 TLKVLDDVTGNPLHCACGAADFVDFLELVQAAVPGPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDGFL

## SEQ ID NO:27 (Feline TLR9)

agggtctgagagctccagcattcttctctgccatcgctgccagctctgccatccagaccctctggagaagcccc  
 cactccctgtcagggccctgccatggcgccctgcacccctgtctctcctgggtgcaggtgcgcgctggccg  
 30 tggccctggccaggccactgacctgcttctgacctgtgagctccagcgccacggcctggtgaattgcgact  
 ggctgttccctcaagtcctgccccacttctcgccggcagcgccctggttaacgtcaccagccttccctgtact  
 ccaaccgcatccaccactccacgactccgacttgtccacctgtccagcctgcccgtctcaacctcaatgga  
 actgcccacccgcccagcctcagccccatgcacttccctgtcacatgaccattgagccccacaccttccctggccg  
 tgcccacctggaggagctgaacctgagctacaacagcatcacgacagtaaccgcccctgccaggttccctcgtgt  
 35 cccctgtccttgagccgtaccaacatcctggtgctggaccctgccaacctcgagggctgcaactccctgagctt  
 tgttccctggatggcaactgctactacaagaacctgcccgcaggccctgcaggtggccccggcgccctccttg  
 gcctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccccagcc  
 tggagtacctgctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaaacctgaccgcccctgc  
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacctgtatggagtggcccaagggct  
 40 tcccgcacctgcacctgacacctcagccacctgaaccacctgaaggcctggtgttgaggacagctctctct  
 acaacctgaacccagatggttccatgcccctgggcaacctcatggtgctggacctgagtgagaacttccatata  
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtcttcaattaccaca  
 agaaggtgtcctttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttcttcgctcgctcagcgagaccagctccggtcgctggccacctgcccagctccagagctcgc  
 45 acctgcagatgaacttcatcaatcaggccagctcagcatcttcggggccttccctggcctgcgatacgtggacc  
 tgtcagacaaccgcataagtggagccatggagctggcggtgcccagggggaggtggatggtggggagagagtc  
 ggctgccatctggggacctagctctggggccaccgggcacccctagctccgagggttcatgccaggctgcaaga  
 ccctcaacttcaacttggacctgtcacggaacaacctagtgaacatccagccagagatggttggccggctctcgc  
 gcctccagtgctgctcctgagccgcaacagcatctcgaggcagtaacggctcacaatttatgccgctgacca  
 50 gcctgcaggtgctggacctgtcccataacaagctggacctgtacctggggcgctctttcacggagctgccgccc  
 tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagcttctgtg  
 cacagctgccggccctgcgtatctcagctggcgcaacagcatccacagccgtgtgtcccagcagctctgca  
 gcgctcgctgcgggcttggacttcagcggaatgacctgtgagccgatgtgggcccaggagacctgtatctcc  
 acttctccgaggcctgaggagcctggttcgggtgtgctccagaatcgccctgcataacctcttgcacgca  
 55 ccctggacaacctccccagagcctgcggctgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctggctcctcctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgccaatggaacccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgagagctcaacctcagtgccaacgccctcaagacgggtggagccctcctgggtcggtt  
 ctctagcgggacacctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcgtgg  
 5 acttcttgctggaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcacaggtcagctcc  
 agggccgcagcatctttgcgagcatctgcgccctctgcctggatgaggccctctcctgggactgttttggcctct  
 cgtgctgaccgtggccctggcctggcctgcccctgctgcaccacctctgtggctgggacctctggtaactgct  
 tccacctgtgctggcctggctgccccggcgggggcgggcgggggcgcggtgacctgacctacgatgcctttg  
 tggctcttcgacaaggcacagagcgcggtggcgactgggtgtacaacagctgcgggtacggctagaggagcgcc  
 10 gtggacgcccagcgtccgcctgtgcctggaggaaactgactggctaccggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgaagatgctgtttgtgctggcccacacagacagggtcagcgccctcttgcgcg  
 ccagctttctgctggcccagcagcgcctgctggaggaccgcaaggacgttggtgctgggtgatcctgcccccg  
 acgcccacgctcccgctatgtgcggctgcccagcgcctctgcccagagcgtcctcctctggccccaccagc  
 ccagtggccagcgagcttctgggcccagctgggacggccctgaccaggacaaccagcactctataaccaga  
 15 acttctgcccggggccccacgagcgagtgaccgcccagcaccccaagcctcctacacctgacctgtgctgctg  
 ggatgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgacccccctgtctctcctgggtgcaggctgcccgcctggccgtggccctggcc  
 20 cagggcacctgacctgtcctttctgcctgtgagctccagcgccacggcctgggaattgagactggctgttctctc  
 aagtccgtgccccacttctcgccggcagcgccccgtggtaacgtcaccagcctttccctgactccaaccgcac  
 caccacctccacgactccgactttgtccacctgtccagcctgcccgcctctcaacctcaaatggaactgccaccc  
 gccagcctcagccccatgcacttccccctgtcacatgaccttgagccccacaccttccctggcgtgccacccctg  
 gaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgccaggttccctcgtgtccctgtccttg  
 25 agccgtaccaacatcctggtgctggaccctgccaacctgcagggctgactccctgcgcttctgttctctggat  
 ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttggcctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgcccgtcgtgtgaccacgcccgaacccctgtatggagtggcccaagggttccccgcacctg  
 30 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgtgaaggacagctctctctacaacctgaac  
 ccagatgggtccatgcctgggcaacctcatgggtgctggacctgagtgagaacttccctatgactgcatcacc  
 aaaaccacagccttccagggcctggcccagctgcgcagactcaactgtctttcaattaccacaagaagggtgctc  
 ttgcccacctgcatctgcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 ttccgctcgtcagcgagaccagctccggctgctgggtccacctgcccctgctccagagctgacacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataaagtggagccatggagctggcggtgcccagggggaggtggatgggtggggagagagctccggctgccatct  
 ggggacctagctctggggccaccggggacccctagctccgagggctcatggcaggctgcaagacctcaacttc  
 accttgacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgcgcctccagtgc  
 ctgctcctgagccgcaacagcatctcgaggcagtcacggctcacaatttatgcccgtgaccagcctgcagggtg  
 40 ctggacctgtcccataacaagctggacctgtaccatgggcgctctttcacggagctgcgcggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagctttgtggcacagctgccc  
 gccctgcgctatctcagcctggcgcaacacgacatccacagccgtgtgtcccagcagctctgcagcgcctcgtg  
 cgggccttggaacttcagcggaatgccttgagccggatgtgggcccaggaggacctgtatctccacttcttccga  
 ggctgaggagcctgggtccgggtggatctgtccagaatcgccctgcataacctcttgccacgcacctggacaac  
 45 ctccccagagcctgcggctgctgcttccgtgacaattatctggctttcttcaactggagcagcctggctcctc  
 ctccccaggtggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccctaatgga  
 acccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttgcctctggccacc  
 aggtgcgagagctcaacctcagtgccaacgcccctcaagacgggtggagccctcctgggttcgggtctctagcgggc  
 acctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcgtggaccttctgctg  
 50 gaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcacaggtcagctccaggggccgcagc  
 atctttgcgagcatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDDSSLHTLN  
 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRCKNFKFTMDLSRNNLVITIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLVDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSL  
 AVAVGMVVPILHCLCGWDVWYCFHLCCLAWPLLLARSRRSAQALPYDAFVVFDAQSAVADWVYNELRVRLREERG  
 RRALRLCLEDRDLWLPQTLFENLWASLYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA  
 HRSRYVRLRQLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNHRHFNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNIVLDANSLAGLYSLRVLFMDGNCYKPNCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDDSSLHTLN  
 35 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRCKNFKFTMDLSRNNLVITIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgctcc  
 ctctggtacaggctgcagtgctggtgagactctggcctgggtaccctgcctgccttccctaccctgtgagctg

- 25 -

aagcctcatggcctgggtgactgcaattgggtgttctctgaagtctgtaccccggtttctctgcggcagcatcctgc  
tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcggcagctgaacctcaagtgggaactgtccaccactggccttagccccctgcacttctcttgccacatg  
5 accattgagcccagaaccttctctggctatgctgactggaggagctgaacctgagctataatgggtatcaccact  
gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaacagc  
ctcgccggctatacagcctgcgcttctcttcatggacgggaactgctactacaagaacctgacagggagcg  
gtgaagggtgacccagggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
aagggtgccccgccaactgccccagcctggagtacctcctgggtgtctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagctacttgatgtgggtgggaattgcccgtcgctgcgacctgcccc  
10 aatccctgtatagaatgtggccaaaagtcctccactgcaccctgagaccttccatcacctgagccatctggaa  
ggcctgggtgctgaaggacagctctctccatacactgaactcttccctgggtccaaggctgggtcaacctctcggtg  
ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcg  
aagctcaacctgtccttcaattaccgcaagaaggatcctttgcccgcctccacctggcaagttccttcaagaac  
ctgggtgtcaactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgcccactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatctttgtg  
accttccgagcccttcgcttctgtggacttgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcgatcctcaccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaactcaagttcaccatggacctgtctcggaacaacctgggtgact  
atcaagccagagatgtttgtcaatctctcagcctccagtgcttagcctgagccacaactccattgcacaggct  
20 gtcaatggctctcagttcctgcccgtgactaatctgcaggtgctggacctgtccataaacaactggacttgtac  
cactggaaactcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagcccttagcatg  
aagggtataggccacaatttcagtttctgtggcccatctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccggtgtgtcctcacatctcaacagcaactcagtgaggtttcttgacttcagcggaacgggtatgggc  
cgcatgtgggatgaggggggcttcttctccatttcttccaaggcctgagtgccctgctgaagctggacctgtct  
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaagagcctgaagctgctgagcctccga  
gacaactacctatcttcttcaactggaccagtctgtccttccctgccaacctggaagtcctagacctggcaggc  
aaccagctaaaggccctgaccaatggcaccctgcctaatggcaccctcctccagaaactggatgtcagcagcaac  
agtatcgtctctgtggtcccagccttcttctgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
ctcaagacgggtggatcgctcctgggttggggccattgtgatgaacctgacagttctagacgtgagaagcaacct  
30 ctgactgtgctctgtggggcagccttcgtgagcattactgttgaggtgcagaccaaggtgctgctggcctaat  
gggtgtgaaggtggcagccccggccagctgcagggcgtagcatcttcgcacaggacctgcggctgtgctggat  
gaggtcctctcttgggactgcttggcctttcactcttggtgtggccgtgggcatgggtgctatactgcac  
catctctgcggctgggacgtctggtactgttttcatctgtgctggcatggctacctttgtggcccgagccga  
cgcagcgcccaagctctccctatgatgccttcgtggtgtcgataaaggcacagagcgagttgaggactgggtg  
35 tataacgagctgccccgtgccccgggagcgcggtcgccgagcctacgcttgtgtctggaggaccgagat  
tggtgcttggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg  
gcccacacgggacccgctcagtgccctcctgcgcaacctactgttgaggtgcagaccaaggtgctgctggcctg  
aaggacgtgggtgggtgttggtgatcctgcgtccggtgcccaccgctccgctatgtgagcactgcccagcgtctc  
tgccgccagagtggtgctcttctggccccagcagcccaacgggcaggggggcttctggggccagctgagtaacg  
40 ctgactagggacaaccgcaactctataaccagaactcttgccgggacctaagcagaatagctcagagcaaca  
gctggaaacagctgcatctcatgcctgggttccgagttgctctgctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcaccccttgcctcctgggtacaggctgcagtgctggctgagactctggcc  
45 ctgggtaccctgcctgccttctaccctgtgagctgaagcctcatggcctgggtggactgcaattgggtgttctg  
aagtctgtaccccggttctctgcggcagcatcctgctccaacatcaccgcctctccttgatctccaaccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcccagctgaacctcaagtggaaactgtccacc  
actggccttagccccctgacttctcttggccacatgaccttagcccagaaccttcttggtatgctgactg  
50 gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg  
agccacaccaacatcctgggttctagatgctaacagcctcgccggcctatacagcctgcccgttctcttcatggac  
gggaactgctactacaagaaccttgcacaggagcgggtgaaggtagccccaggcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccagcctggagtacctc  
ctgggtgtcctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagctactgat  
gtgggtgggaattgcccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtcctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctgggttccaaggctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac  
cacaccaatgccttccagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggatcc

- 26 -

tttgcccgcctccacctgggaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttcgcgtcgcgtcaacaagtacacgctcagatggctggccgatctgcccactccacactctgcatcttcaaag  
 aacttcatcaaccaggcacagctcagcatcttttggtaccttccgagcccttcgctttgtggacttgtcagacaat  
 5 cgcacagtgaggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 tctgcccgtcctcaccagctccactgagcaccctgcttctaagaacttcagggacaggtgtaagaacttcaag  
 ttcaccatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcaccgctccag  
 tgtcttagcctgagccacaactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataacaaactggacttgtaccactggaaatcgttcagtgcagctaccacagttgcaggcc  
 ctggacctgagctacaacagccagccctttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatgggcccagatgtgggagtgagggggcccctttatctccatttcttc  
 caaggcctgagtgccctgctgaagctggacctgtctcaaaataacctgcatactctcgggccccagaaccttgac  
 aacctccccaaagagcctgaagctgctgagcctccgagacaactacatcttctttaaactggaccagctgtctcc  
 ttctgcccacactgggaagtcctagacctggcagcaaccagctaaaggccctgaccaatggcaccctgcctaat  
 15 ggcacctctctccagaaactggatgtcagcagcaacagtatcgctctgtgtgtgcccagccttcttgcgtctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctctggtttgggcccattgtg  
 atgaacctgacagttctagacgtgagaagcaacctctgcactgtgcctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaaggtgtgaagtggtgagcccccggccagctgcaggggcgt  
 agcatcttcgcacaggacctgcggctgtgcctggatgaggtcctctcttgggactgctttggc  
 20

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNLTVVPRNLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAQLTQLRKLNLNFYQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRLRLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWABGDLYLHFFQGLSGLIWLDSLQNRHLTLPLQTLRLNLPKSLQVLRDLNYLAFFKWSLHF  
 LPKLEVLDSLGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS  
 ALQILDVSNPLHCACGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLERDKDVVVLVILSPDG  
 35 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFQCGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNLTVVPRNLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRRCDHAPNCPMECPRHFPQLHPDTFSHLSRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCIKTAKAQLTQLRKLNLNFYQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGEKVLQ  
 GD LAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFQMVGHNFSFVAHLRLRLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWABGDLYLHFFQGLSGLIWLDSLQNRHLTLPLQTLRLNLPKSLQVLRDLNYLAFFKWSLHF  
 LPKLEVLDSLGNRLKALTNGSLPAGTRLRLRLDVSCNSISFVAPGFFSKAKELRELNLNLSANALKTVDHSWFGPLAS  
 ALQILDVSNPLHCACGAAFMDFLLEVQAAPVGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggctggatataaaatcttacttctctattctctgagccgctgctgcccctgtgggaaggagacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagacctctggagaagccctgccccccagcatgggt  
 ttctgcccgcagcgcctgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcagcaccctgtggaatgtcaccagccttccctgtcctccaaccgcacccaccac  
 ctccatgattctgactttgcccacctgccagcctgcgccatctcaacctcaagtggaaactgcccgcgggttggc  
 ctacgccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggtgtgcccaccctggaagag  
 5 ctaaacctgagctacaacaacatcatgactgtgctgcgctgcccacatccctcatatccctgtccctcagccat  
 accaacatcctgatgctagactctgcccagcctgcgcggcctgcatgcccctgcgcttccctattcattggacggcaac  
 tgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttggcctgggcaacctcacc  
 cacctgtcactcaagtaacaacacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg  
 tectacaaccgcacgtcaaacctggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
 10 ggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaatgccagt  
 tgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagaggggtgtcctttgcc  
 cacctgtctctggccccttccctcggggagcctggctgcgcctgaaggagctggacatgcacggcatcttctccgc  
 15 tcaactcgatgagaccacgctccggccactggccgcctgcccctgctccagactctgcgtctgcagatgaacttc  
 atcaaccaggccacgtcggcatcttccagggccttccctggcctgcgtacgtggacctgtcggacaaccgcac  
 agcggagcttccggagctgacagccaccatggggaggcagatggaggggagaaggtctggctgcagcctggggac  
 cttgtccggccccagtggaactcctcagctctgaagacttcaggcccaactgcagcaccctcaacttcaccttg  
 gatctgtcacggaacaacctgggtgacctgcagccggagatgttggccagctctcgacactgcagtgccctgcgc  
 20 ctgagccacaactgcatctcgagcagctcaatggctcccagttcctgcgcctgaccggtctgcaggtgctagac  
 ctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctggacctc  
 agctacaacagccagcccttggcatgcaggcgtggggccacaactcagcttctgtggctcactgcgcacactg  
 cgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagctacgtcgctgcgggccc  
 ctggacttcagcggcaatgcactggggccatgtgtggccgagggagacctctatctgcacttcttccaaggcctg  
 25 agcgggttgatctggctggactgtcccagaaccgcctgcacacctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgcc  
 aaactggaagtccctgcacctggcaggaaccggctgaaggccctgaccaatggcagcctgcctgctggcaccgg  
 ctccggaggctggatgtcagctgcaacagcatcagcttctgtggcccccggttcttttccaaggccaaggagctg  
 cgagagctcaaccttagcgccaacgcctcgaagacagtggaccactcctgggttggggccctggcgagtgccctg  
 30 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttcttggaactcctgctggaggtg  
 caggactgccgtgccgggtctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatctt  
 gcacaggacctgcgcctctgctggatgaggccctctcctgggactgttgcgcctctcgctgctggctgtggct  
 ctgggctgggtgtgcccctgctgcacacctctgtggctgggacctctgggtactgcttccacctgtgctggcc  
 tggcttccctggcgggggcggaagtggggcgagatgaggatgccctgccctacgatgcctcgtgggtcttcgac  
 35 aaaacgcagagcgagtgagcagactgggtgtacaacagagcttcggggcgagctggaggagtgcctggggcgctgg  
 gcaactccgctgtgctggaggaaacgcgactggctgcctggcaaacctcttggagaacctgtgggctcggtc  
 tatggcagccgcaagacgctgttctgtgctggcccacacggacgggtcagtggtctcttgcgcgacgctcctg  
 ctggccagcagcgccctgctggaggacggcgaagctcgtgggtgctgggtgatcctgagccctgacggcgccgc  
 tcccgctacgtgcggctgcgcgagcgcctctgcgcgagagtgctcctctggtggccccaccagccagtggtcag  
 40 cgcagcttctggggccagctgggcatggccctgaccagggaacaaccaccttctataaccggaacttctgccag  
 ggacccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcactcactctgctgccc  
 tggctgaccctccctgctgcctccctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgcaaccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcagcaccctgtggaatgtcaccagccttccctgtcctccaaccgcac  
 caccacctccatgattctgactttgcccacctgccagcctgcgccatctcaacctcaagtggaaactgcccgcg  
 gttggcctcagccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggtctgtgcccacctg  
 50 gaagagctaaacctgagctacaacaacatcatgactgtgctgcgctgcccacatccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgcccagcctgcgcggcctgcatgcccctgcgcttccctattcatggac  
 ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgccctccttggcctgggcaac  
 ctccccacctgtcactcaagtaacaacacctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
 ctgttgcctacaaccgcacgtcaaacctggcgccctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
 55 gtggggggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagagggtgtcc  
 tttgccacctgtctctggcccttccctcgggagcctggcgccctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccacgctccggccactggcccgctgcccatgctccagactctgcgtctgcagatg  
 aacttcatcaaccaggcccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaac  
 5 cgcatacagcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggtctggtgcagcct  
 ggggaccttgcctcggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 accttggatctgtcacggaacaacctggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgc  
 ctgcgcctgagccacaactgcatactcgaggcagtcgaatggctcccagttcctgcccgtgacctgtgcaggtg  
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg  
 10 gacctcagctacaacagccagccctttggcatgcagggcggtggccacaacttcagcttctgtggctcacctgcgc  
 accctgcgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggcccctggacttcagcggcaatgcactggggccatattgtggccgagggagacctctatctgcacttcttccaa  
 ggccctgagcgggtttgatctggctggacttgtcccagaaccgcctgcacaccctcctgccccaaacctgcgcaac  
 ctcccaagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggaggcctccacttc  
 15 ctgccccaaactggaagtccctcgacctggcaggaaccgctgaaggccctgaccaatggcagcctgcctgctggc  
 acccggtccggaggtggatgtcagctgcaacagcatcagcttctgtggcccccggttctttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgcctcaagacagtggaccactcctgggttgggccccctggcgagt  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg  
 gaggtgcaggctgccgtgcccggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 20 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art. The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

10 A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'\text{-N}_1\text{X}_1\text{CGX}_2\text{N}_2\text{-3'}$$

wherein  $\text{X}_1$  and  $\text{X}_2$  are nucleotides, N is any nucleotide, and  $\text{N}_1$  and  $\text{N}_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $\text{X}_1$  is adenine, guanine, or thymine and/or  $\text{X}_2$  is cytosine, adenine, or thymine. In other embodiments  $\text{X}_1$  is cytosine and/or  $\text{X}_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular *exo*- and *endo*-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5 hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in *RNAlater*<sup>TM</sup> (Ambion<sup>®</sup>, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZerO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTGTGCTTTTGTGCTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGTATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising: aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;

25

generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

30

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5           12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10           14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15           contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
              measuring a signal in response to the contacting; and  
              identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20           17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25           18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30           20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1  
(1/3)

feline MGPCGHGALHPLSLLVQAAALAVALAAGTLPAPFLPCELPQRHGLVNCNWLFLKSVPHFSAAA 60  
canine MGPCRGALHPLSLLVQAAALALALAAGTLPAPFLPCELPQPHGLVNCNWLFLKSVPRFSAAA 60  
bovine MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQPHGQVDCNWLFLKSVPHFSAGA 59  
mouse MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQPHGQVDCNWLFLKSVPHFSAGA 59  
ovine MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQPHGQVDCNWLFLKSVPRFSAGA 59  
porcine MGP-RCTLHPLSLLVQVTLAALAAALAEGLTLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSAAA 59  
horse MGPCGHGALQPLSLLVQAAMLAVALAAGTLPPEFLPCELPQPHGLVNCNWLFLKSVPHFSAAA 60  
human MGFCRSALHPLSLLVQAIMLAMTALAGTLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSMAA 60  
rat MVLCCRTHLPLSLLVQAALAEALAGTLPAPFLPCELPKPHGLVDCNWLFLKSVPHFSAAE 60  
\* : :\*\*\*\*\* \*\* : \* \* \* :\*\*\*\*\* : \* \* :\*\*\*\*\* : \* \*

feline PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCMTIEPHTFL 120  
canine PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCMTIEPNTFL 120  
bovine PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119  
mouse PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119  
ovine PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119  
porcine PRANVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 119  
horse PRDNVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120  
human PRGNVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 120  
rat PRSNITSLSLIANRIHHLHDLDFVHLPNVRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120  
\*\* : :\*\*\*\*\* :\*\*\*\*\* : \* : : :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* \*

feline AVPTLEELNLSYNSITTPALPSSLSVLSLRTNIVLDPANLAGLSLRFELDGNCYY 180  
canine AVPTLEELNLSYNSITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 180  
bovine AVPTLEELNLSYNGITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 179  
mouse AVPTLEELNLSYNGITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 179  
ovine AVPTLEELNLSYNGITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 179  
porcine AVPTLEELNLSYNSITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 179  
horse AVPTLEELNLSYNGITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 180  
human AVPTLEELNLSYNNIMTVPALPKSLISLRTNIVLDPATLAGLYALRFELDGNCYY 180  
rat AMRMLEELNLSYNGITTPALPSSLSVLSLRTNIVLDPATLAGLYALRFELDGNCYY 180  
\* : \* :\*\*\*\*\* :\*\*\*\*\* : \* : \* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* \*

feline KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240  
canine KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240  
bovine MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239  
mouse MNPCPRALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239  
ovine KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239  
porcine KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 239  
horse KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240  
human KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240  
rat KNPCQALEVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240  
\*\*\* : : \* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* \*

feline ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYNLN 300  
canine ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYSLD 300  
bovine ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYKLE 299  
mouse ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYKLE 299  
ovine ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYKLE 299  
porcine ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYKLE 299  
horse ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYQLN 300  
human ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYSWLN 300  
rat ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLGLVLDKSSLYHSLN 300  
\*\*\*\* : :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* \*

feline PRWFHGLGNLMDLSENFLYDCITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLAPSF 360  
canine PRWFHGLGNLMDLSENFLYDCITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLASSF 360  
bovine KDWFRLGLRLQVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLASSF 359  
mouse KDWFRLGLRLQVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLASSF 359  
ovine KDWFRLGLRLQVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLAPSF 359  
porcine TRWFRLGLRLQVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLAPSF 359  
horse PRWFRLGLRLQVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLAPSF 360  
human ASWFRLGLRLQVLDLSENFLYKCTKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLAPSF 360  
rat SKWFRLGLRLQVLDLSENFLYKCTKTTFQGLAQRLRLNLSFNHYHKKVSFAHLHLASSF 360  
\*\*\* : : \* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* :\*\*\*\*\* \*



**Figure 1**  
**(2/3)**

[illegible]

Figure 1  
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDV SANPLHCACGAAFVDFLLEQ	776
mouse	GFFVRATRLIELNLSANALKTVDPSPWFGSLAGTLKILDV SANPLHCACGAAFVDFLLEQ	776
ovine	GFFVLANRLKELNLSANALKTVDPSPWFGRLTETLNILDV SANPLHCACGAAFVDFLLEQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDV SANPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLVDV SANPLHCACGAAFVDFLLEQ	778
human	GFFSKAKELRELNLSANALKTVDSHWFGPLASALQILDV SANPLHCACGAAFMDLLEVQ	778
rat	AFVALVELKEVNL SHNILKTVDRSWFGPIVMNLTVDVSSNPLHCACGAPFVDLLEVQ	779
	..** * . * :**** * : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	AAVPGLP GHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLTVALGLAVPMLHHI	838
canine	AAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSLLAVALSLAVPMLHQL	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSLDCFGLSLLMVALGLAVPMLHHI	836
porcine	AAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDETLSWNCFGLSLLAMALGLVVPMLHHI	837
horse	AAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLVVALGLAMPMLHHI	838
human	AAVPGLP SRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLAVALGLVVPMLHHI	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLLAVAVGTVPMLHQL	839
	****. * .**** * * * :*****. * * * : * : * : * : * : * : *	
feline	CGWDLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAHLPRRRRQ--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLGLAWLPRRGWQ--RGADALSYDAFVVDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCLAWLPLLTRGR--RSAQALPYDAFVVDKAQSAVADWVYNELRVLEER	898
	****.***** * * * * * . * . : * * * .*****. * * .*****. * * * : * * * : * * * : * * * : *	
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWVPGKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** ***** :*** :*** :***** : * . * * * : * * * : * * * : * * * : * * * : *	
feline	LEDKDVVVLVILRPDAHRSRYVRLRQLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKDVVVLVILCPDAHRSRYVRLRQLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKDVVVLVILRPAAYRSRYVRLRQLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKDVVVLVILRPAAYRSRYVRLRQLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKDVVVLVILRPAAYRSRYVRLRQLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
porcine	LEDKDVVVLVILRPDAYRSRYVRLRQLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKDVVVLVILSPDARRSRYVRLRQLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKDVVVLVILSPDARRSRYVRLRQLCRQSVLLWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKDVVVLVILRPDAHRSRYVRLRQLCRQSVLFWPHQPSGQSFWAQLSTALTRDNH	1018
	***** * . ***** :***** * * * * * : * . * * * : * * * : * * * : *	
feline	HFYNQNFRCRGPTAE-----	1031
canine	HFYNQNFRCRGPTA-----	1032
bovine	HFYNRNFCRGPTAE-----	1029
mouse	HFYNRNFCRGPTAE-----	1032
ovine	HFYNRNFCRGPTAE-----	1029
porcine	HFYNRNFCRGPTAE-----	1030
horse	HFYNQNFRCRGPTAE-----	1031
human	HFYNRNFCRGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****.***:***	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
 University of Saskatchewan  
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040W000

<150> US 60/412,479  
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1  
 <211> 1032  
 <212> PRT  
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 2

<211> 821

<212> PRT

<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
                   50                                  55                                  60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
                   65                                  70                                  75                                  80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
                   145                                  150                                  155                                  160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
                   180                                  185                                  190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725

730

735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser  
 805 810 815

Arg Asp Cys Phe Gly  
 820

<210> 3  
 <211> 3099  
 <212> DNA  
 <213> Rattus norvegicus

<400> 3  
 atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtacaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcttggttag actgcaactg gctcttcctg aagtctgtgc ctcaattctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgagacttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcattgacca ttgagcccaa aaccttctctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccttgacgaa tctgagccta agccacacca acatcctggt actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg acccgggacg ccttctctggg cttgagcaac 600  
 ctcaccactt tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtctataaac ctcacgttca agctgggggc cgaagacctt 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780

gcccccgacc tctgtacaga atgcgggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggcttggtg ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtc ggccaacctc tcgggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggtatcg ttcgcccgc tccacctggc aagttccttc 1080  
 aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtggct ggtggtctg cccaagctcc acacgctgca cttcaaagt 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccgagc tctcccgagc 1380  
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccattctcag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560  
 ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860  
 tacctctatt tctccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctc gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgct attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340  
 aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcatctctgc 2520  
 ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgaccgct 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggcca gtggcctcct ggcaccagc ttcctgtgtg ctcagcagcg cctgtgtggag 2880  
 gaccgcaagg acgtgggtgt gttgggtgat ctgcgccctg atgccaccg ctcccgttac 2940  
 gtgcgactgc gccagcgctt ctgcgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcttac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcttg aagtctgtgc ctcacttctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttctctg atgcacaacc gcattcacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctctctg cgcattacca ttgagcccaa aaccttctctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacctg acccggagc ccttctctgg cttgagcaac 600  
 ctcacccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcactgtca agctgggggc cgaagacctt 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gcccccgacc tctgtacaga atgccggcag aagtcctctg atctgcacc tcagactttc 840  
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccagggctt ggcgaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080  
 aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ctttcaaatg 1200  
 aatttcatca accagggcga gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccagc tctcccagc 1380  
 actcccgctc caaagaactt catgggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtggggccga tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctc gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcaacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgct attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460  
 ggc 2463

<210> 5  
 <211> 1030  
 <212> PRT  
 <213> Sus scrofa  
 <400> 5

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
225 230 235 240



Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcact gtagctgctg ccggtctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcttggtgca 120  
 ggtgacagcg ctggctgagg ctctggcca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctggcgaggc ggcggcgagg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgcctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgcct gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga acccctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgcc accctgcacct 1140  
 ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tcagaccct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccttgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggtg gggagagggt ctggctgcct tcaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgccctgcgc tgagccacaa cagcatctcc caggcggtca atggctctca 1620  
 gtttgtgceg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacgggccc tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc 1800  
 cctgcgctac ctacagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgccc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tctgtccacg tgccctggac aacctccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcacccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc ttctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctcgatggtg ggcaacctga aagtctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tcctgctgga 2400  
 ggtacaggct gccgtgctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520  
 gaactgtttt ggcattctgc tgcgtggccat ggccctgggc ctggttctgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggccc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgcc 2940  
 gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgctacgtg cggctgcgcc agcgcctctg ccgcagagt gtccctctct ggccccacca 3060  
 gcccctggg cagggcagct tctgggcca gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc 3180  
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atggggcccc gctgcaccct gcacccccc tctctcctgg tgcaggtgac agcgctggct 60  
 gcggtctctgg cccagggcag gctgcctgcc ttcctgcctt gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct cttcctgaag tccgtgcccc acttctcggc ggcagcgccc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgccggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac ctctctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccctg 420  
 ccgactccc tcgtgtccct gtcgctgagc cgcaccaaca tcctggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aaccctgcc agggggcgct ggaggtgggt cccggtgccc tcctcgccct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgctgtttgc ctacaaccac attgtcaccg tgacgcctga ggacctggcc 720  
 aatctgactg ccttgccgct gcttgatgtg ggggggaact gccgccgctg tgacctgccc 780  
 cgcaaccctt gcagggagtg cccaaaggac ccccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggccttga caggctccaa gtgctggacc tgagtgagaa cttcctctac 960  
 gactgcatca ccaagaccac ggccttccag ggctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacactgc acctggcacc ctctttggg 1080  
 cacctccggt cctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcacag cggagctgca aggcagtggt ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgctc cactccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg ttgtctcgcc tctcagcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcaactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacctt 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agtccaggg ccatagcatc 2400  
 tttgcgaag acctgcgcct ctgcctggat gagacctct cgtggaactg ttttggc 2457

<210> 9

<211> 1029

<212> PRT

<213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190



Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475 480
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555 560
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635 640
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

```

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagaccct    60
ctggagaagc cgcattccct gtcattggcc cctactgtgc cccgcacccc cttctctctcc    120
tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgect gccttctctgc    180
cctgtgagct ccagcccccatt ggtcaggtgg actgcaactg gctgttctctg aagtctgtgc    240
cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctctctta atctccaacc    300

```

gcatccacca cttgcatgac tctgacttgc tccacctgtc caacctgcgg gtcctcaacc 360  
 tcaagtggaa ctgcccgcgc gccggcctca gcccctatgca cttcccctgc cgtatgacca 420  
 tcgagcccaa caccttccctg gctgtgcccc ccctggagga gctgaacctg agctacaacg 480  
 gcatcacgac cgtgcctgcc ctgcccagtt cctcgtgtc cctgtcgtg agccacacca 540  
 gcatcctggt gctaggcccc acccaacttca cgggcctgca cgccctgcgc tttctgtaca 600  
 tggacggcaa ctgctactac atgaacctt gccgcgggc cctggagggtg gccccaggcg 660  
 cctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg 720  
 tgccccgcgc cctgcccccc agcctggaca cctgctgct gtcctacaac cacattgtca 780  
 cctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga 840  
 actgccgcgc ctgcgacctat gccgcgaacc cctgcaggga gtgcccagg aacttcccc 900  
 agctgcacc tgacacctt agtcacctga gccgcctga aggcctggtg ttgaaggaca 960  
 gttctctcta caaactagag aaagattggt tccgcggcct gggcaggctc caagtgtcg 1020  
 acctgagtga gaacttctc tatgactaca tcaccaagac caccatctt aacgacctga 1080  
 cccagctgcg cagactcaac ctgtccttca attaccaca gaagggtgtc ttgccccacc 1140  
 tgcaacctagc gtctctctt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200  
 tcttcttcgc ctccctcacc aacatcacgc tccagtcgt gaccgcgtg cccaagctc 1260  
 agagtctgca tctgcagctg aacttcatca accaggccca gctcagcatc tttggggcct 1320  
 tcccagacct gctcttcgtg gacctgtcgc acaaccgcat cagcggagcc gcgacgccag 1380  
 cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg 1440  
 ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccagctgc aacctcaact 1500  
 tcaccttgga cctgtcacgg aacaacctg tgacaatcca gcaagagatg tttaccgcgc 1560  
 tctccgcct ccagtgcctg cgctgagcc acaacagcat ctgcaggcg gttaatggct 1620  
 cccagttcgt gccgctgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc 1680  
 tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcaactggac ctcaagtaca 1740  
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800  
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860  
 tcagcagcgc ctctttgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920  
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980  
 tgtccgagaa ccactctgc accctcctgc ctctcacct ggacaacctg cccaagagcc 2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcttgccccg gctggaagcc ctggatcttg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctccagccca 2280  
 atgccctgaa gacagtggat cctcctcgtt tcggttcctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaaccgc ctccactgcg cctgcggggc ggccctttgtg gacttctctg 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tctactgctaa tgggtggcgt gggcctggca gtgcccctgc 2580  
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgccgggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tgetggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtca cgtgcggctg cgccagcgcc tctgccgcca gagcgtcctc ctctggcccc 3060  
 accagcccag tggccagggc agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcca g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccctt tctctcttg tgcaggcggc ggcaactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctggg 120  
 cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgcccggc 300  
 ggctcagcc ccattgactt cccctgcctg atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg 420  
 cccagttccc tcgtgtccct gtcgtgagc cacaccagca tcctgggtgt agggcccccacc 480  
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg 540  
 aacccctgcc cgcgggccct ggagggtggc ccaggcgccc tcctcggcct gggcaacctc 600  
 acgcacctgt cgtcaagta caacaacctc acggagggtgc cccgcgcct gccccccagc 660  
 ctggacaccc tgctgtgtc ctacaaccac attgtcacc tggcaccga ggacctggcc 720  
 aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcgtg cgaccatgcc 780  
 cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagt 840  
 cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa 900  
 gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat 960  
 gactacatca ccaagaccac catcttcaac gacctgacc agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcctttggg 1080  
 agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac 1140  
 atcacgctcc agtcgctgac ccggtgccc aagctccaga gtctgcatct gcagctgaac 1200  
 ttcataacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac 1260  
 ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgcctggg ggagggtggac 1320  
 agcaggggtg aagtctggc attgccagg ggcctcgctc caggcccgct ggacgccgtc 1380  
 agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggaact gtcacggaac 1440  
 aacctggtga caatccagca agagatgtt accgcctct cccgcctcca gtgcctgcgc 1500  
 ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc 1560  
 ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtgggccc acaacctcag cttcgtggcc cagctgccct cctgcgcta cctcagcctt 1740  
 gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860  
 tttttcaaag gcttgaggaa cctgggtccag ctggacctgt ccgagaacca tctgcacacc 1920  
 ctcctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ctttcttcaa ctggagcagc ctgaccgtcc tgccccggct ggaagccctg 2040  
 gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggttcg tgatccccgg cttcttcgtc 2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcttggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgtc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met<sup>c</sup> Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400



Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                      870                      875                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
                                  885                      890                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
                                  900                      905                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
                                  915                      920                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
                                  930                      935                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
                                  945                      950                      955                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
                                  965                      970                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
                                  980                      985                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
                                  995                      1000                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
                                  1010                      1015                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
                                  1025                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                      5                      10                      15  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
                                  20                      25                      30  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
805 810 815

Asp Cys Phe Gly  
820

<210> 15  
<211> 3391  
<212> DNA  
<213> Equus caballus

<400> 15  
ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaaagcat cctcctctgc 60  
agctgctgcc cagtgtgcca gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
ccttgccatg gtgccctgca gccctgtct ctctgggtgc aggcggccat gctggcctg 180  
gctctggccc aaggcaccct gcctcccttc ctgcctgtg agctccagcc ccacggcctg 240  
gtgaactgca actggctgtt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300  
gacaatgtca ccagccttcc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
tttgcccaac tgtccaacct gcagaaaactc aacctcaaat ggaactgccc gccagccggc 420  
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgcctgccc 540  
agctccctcg tgccttgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
ctcacgggcc tgcattgccc gcgttcccta tacatggatg gcaactgcta ctacaagaac 660  
ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
aaccctgctg tggagtgccc acataaatcc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020  
 tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgctc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccg cctgcccatt ctccagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg cccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt 1440  
 gggaagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc 1500  
 tctgaggact tcatgccaa gtgcaagaac ctgagcttca ccttggaact gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcaggtgc tggacctgac ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgcgcg gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800  
 ggtgtggggc acaacctcag ctttgtggcc cagctgccc ccttgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtggggc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaattccg ctagacctgt cccagaatcg tctgcatacc 2040  
 ctcttgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggcccttg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcttggtttg gtttcttagc aggtccctt gaagtccatg atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcccga gccgcgtcaa gtgtggcagt ccgggcccag tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580  
 ttgctggttg tggccctggg cctggccatg cctatgttgc accacctctg cggtgggac 2640  
 ctctggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700



gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggcg ccgggcgctc 2820  
 cgctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
 ggctctttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtgggtc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060  
 cagcgcctct gccgccagag tgcctcttcc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
 ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16  
 <211> 2460  
 <212> DNA  
 <213> Equus caballus

<400> 16  
 atggggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct ccttctctgc cctgtgagct ccagccccac 120  
 ggcttggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag ccttctcttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300  
 gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttctctg 360  
 gctgtaccca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct cctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgcgc ttctataca tggatggcaa ctgetactac 540  
 aagaacccct gcgggcgggc cctggagggtg gccccaggcg cctccttgg cctgggcaac 600  
 ctcacccacc tgtcactcaa gtacaacaac ctcacaacgg tgccccgag cctgccccct 660  
 agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgcg ctgtgacct 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggg tccgtggcct gggcaacctc acagtgtctg acctgagtga gaacttcctc 960  
 tacgactgca tcaccaaaac caaggcatte cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgcc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc 1140  
 cagaagacgc tccagccact ggcccgctg cccatgtctc agcgtctgta tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctggctc gcgtacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaagctgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgagc gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620  
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgtacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggetgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctcccgaaga gcttgcagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga cctcctgcc caacctggaa 2040  
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttctgtgt ccctggcttc 2160  
 tttgctctgg ccacgaggt gcgagagctc aacctcagt ccaacgccct caggacagag 2220  
 gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt 2460

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

&lt;213&gt; Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
805 810 815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> *Ovis aries*

<400> 19  
 gtccggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccca acttgcccgc 60  
 cagaccctct ggagaagcgg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctctctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttctgaa 240  
 gtctgtgccg cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcggtt 360  
 cctcaacctc aagtggaaact gcccgccggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgacgg tgccctgccct gccagttct ctogtatccc tgcgctgag 540  
 ccgcaccagc atcctggtgc taggccccac ccacttcacc ggctgcacg ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct cagcacctg tegetcaagt acaacaacct 720  
 cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcccgt gcgaccacgc ccgcaacccc tgcagggagt gcccaaagaa 900  
 cttccccaag ctgcaccctg acaccttcag ccacctgagc cgctcgaag gcctggtgtt 960  
 gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca 1020  
 agtgcctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccctcaat taccacaaga aggtgtcctt 1140  
 cgccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgccctcg gggagggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggcccg c tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500  
 cctcaacttc accttggacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560  
 taccgccttc tcccgctcc agtgctgag cctgagccac aacagcatct cgcaggcggt 1620  
 taatggctcg cagttcgtgc cgctgacctg cctgagagtg ctgacctgt cctacaacaa 1680  
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740  
 cagctacaac agccagccct tcagcatgca gggcggtggc cacaacctca gcttcgtggc 1800  
 ccagctgccg tccctgcgt acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860  
 acagaagctc agcagcgct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920  
 gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980  
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040  
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100  
 cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160  
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220  
 catcgcttt gtgacctctg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280  
 cagcgccaac gccctgaaga cagtggatcc cttctggttc ggctgcttaa cagagacct 2340  
 gaatatccta gacgtgagcg ccaaccgcgt ccaactgtgc tgcggggcg cctttgtgga 2400  
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460  
 tccggggcag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520  
 gacctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580  
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640  
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttctg 2700  
 ggtcttcgac aaggcgagc gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760  
 gctggaggag cgcgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820  
 ccctggcaag acgctcttcg agaacctgtg ggctcggtc tacagcagcc gtaagaccat 2880  
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tctgctggc 2940  
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000  
 cgcctaccgg tccgcctacg tgcggctgag ccagcgctc tgccgccaga gcgtcctcct 3060  
 ctggccccac cagcccagtg gccaggtag cttctgggccc aacctgggca tggccctgac 3120  
 cagggacaac cgccacttct ataaccggaa cttctgcccg ggcgccaga cagccgaata 3180

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

<213> *Ovis aries*

&lt;400&gt; 20

atggggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gccccggggt	120
aagggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc	180
cggggcaatg tcaccagcct ctccctaate tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg cccgccggcc	300
ggcctcagcc ccattgcactt cccctgcgcg atgaccatcg agcccaacac ctctcctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg	420
cccagttctc tcgtatccct gtgcgtgagc cgcaccagca tcctgggtgt agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aacccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgtcaagta caacaacctc acggaggtgc cccgcgcctt gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccoga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgccgtg cgaccacgcc	780
cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa	900
gactgggtcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggcgcagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggcctcgtc caggcccgct ggccgcgctc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgaccgcg 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccttgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaagccctg agcaacggca gctgccacc tggcaccgcg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgacctctgg cttctttgtc 2160  
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg cctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgcctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcggtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro



- 62 -

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                      665                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
       675                      680                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
       690                      695                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
       705                      710                      715                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
                              725                      730                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
                              740                      745                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
       755                      760                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
       770                      775                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
       785                      790                      795                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
                              805                      810                      815  
 Ser Trp Val Cys Phe Ser  
                              820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tctgcagct gctgccagc ctgccagcca 60  
 gaccctctgg agaagcccc gtcacctgtc atgggcccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttctgtc cctgtgagct ccagcccat ggccctggtga actgcaactg gctgttcttc 240  
 aagtcctgtc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttcctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcccc ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgcgc ctgcccagtt cgcttgtgtc cctgtccctg	540
agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaacccct gccagcaggc cctgcagggtg	660
gccccagggt cctcctggtg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtccctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctcgat	840
gtgggtggga actgtcgccg ctgtgacctat gcccgtaacc cctgcaggga gtgccccaaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc	1080
taaggcctgg ccggtgctgc cagactcaac ctgtccttca attatcataa gaaggtgtcc	1140
tttgcacacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccacgc tccagtcgtt ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcgggcctt tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct	1380
gcagagcccc cggtgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtccccgg accttgctct gggcccactg ggcacccccg gctcagaggc cttcatgccg	1500
agctgcagga cctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgacaaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctggttc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

```

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220
agcggcaaca gcatcggtt cgtggtcccc agcttttttg cctggccgt gaggttcga 2280
gagctcaacc tcagcgccaa cgcctcaag acggtggagc cctcctggtt tggttccctg 2340
gcgggtgccc tgaaagtct agacgtgacc gccaacccct tgcattgccc ttgcggcgca 2400
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgctgctggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640
ctgtgcctgg cctggctgcc ccggcggggg cggcggcggg gtgtggatgc cctggcctat 2700
gacgccttcg tggcttcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760
ctgcgggtac agctagagga gcgcgtggg cgccggcgcc tacgcctgtg tctggaggaa 2820
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagacgc tgtttgtgct ggcccgacg gacagagtca gcggcctcct gcgtgccagc 2940
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggg gctggtgatc 3000
ctgtgccccg acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgccgccag 3060
agtgtctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccc gggccccacg 3180
acagcctgat aggcagacag ccagcacct tcgcgccct acacctgcc tgtctgtctg 3240
ggatgccga cctgctggct ctacaccgcc gctctgtctc cctacaccc agcctggca 3300
taaagcgacc gctcaataaa tgctgctggg agac 3334

```

&lt;210&gt; 24

&lt;211&gt; 2466

&lt;212&gt; DNA

<213> *Canis familiaris*

&lt;400&gt; 24

```

atgggcccct gccgtggcg cctgcacccc ctgtctctcc tgggtcaggc tgccgcgcta 60
gccctggccc tggcccaggg caccctgcct gccttctgc cctgtgagct ccagcccat 120
ggcctggtga actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180
cccccggtga acgtcaccag ccttctcttg tactccaacc gcatccacca cctccatgac 240
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccgc 300

```



gccagcctca gccccatgca cttccctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgccc cccatagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttggtc cctgtccctg agccgcacca acatcctggt gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccagcagga cctgcaggtg gcccaggtg cctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgtaacc cctgcagga gtgcccgaag ggcttcccc agctgcacc caacaccttc 840  
 ggccacctga gccacctga aggcctggtg ttgaggga gctctctcta cagcctggac 900  
 cccaggtggt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaac caaagccttc tacggcctgg ccggctgcg cagactcaac 1020  
 ctgtccttca attatcataa gaaggtgtcc ttgcccacc tgcatctggc atcctccttc 1080  
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctgctcagc 1140  
 aagaccagc tccagtgcct gggccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggccca gctcagcatc ttccggcct tccctggact gcggtacgtg 1260  
 gacttgctag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggt accttgcctt gggccactg 1380  
 ggcacccccg gctcagagga cttcatgccc agctgcagga cctcaactt caccttggac 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttggacc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
 tacctcagcc tggcgcaaaa tggcatccac agccgctgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccttggactt cagtggcaat accctgagcc agatgtgggc cgagggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctggctc agctggacct gtcccagaat 1920  
 cgctgcata cctcctgcc acgcaacctg gacaacctc ccaagagcct gcggctcctg 1980  
 cggctccgtg acaattacct ggctttcttc aactggagca gcctggcctt cctaccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcacccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtgggtcccc 2160  
 agctttttttg ccttggccgt gaggtttcga gagtcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtccct agacgtgacc 2280  
 gccaaaccct tgcatcgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcgggtgc cgggctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgctggagc aagcgtctc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
705	710	715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
785	790	795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Gly Ala Asp  
850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
1025 1030

<210> 26  
<211> 820  
<212> PRT  
<213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
                   20                  25                  30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
           35                  40                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
       50                  55                  60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
   65                  70                  75                  80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
                   85                  90                  95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
           100                  105                  110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
       115                  120                  125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
   130                  135                  140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
   145                  150                  155                  160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
           165                  170                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
           180                  185                  190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
       195                  200                  205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
       210                  215                  220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
   225                  230                  235                  240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
           245                  250                  255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu  
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 27  
 <211> 3235  
 <212> DNA  
 <213> Felis catus

<400> 27  
 agggctctgcg agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc 60  
 ctctggagaa gccccactc cctgtcatgg gccctgcca tggcgccctg cccccctgt 120  
 ctctcctggt gcaggctgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct 180  
 ttctgccctg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttctcaagt 240  
 ccgtgccccca cttctcggcg gcagcgcccc gtggtaacgt caccagcctt tccctgtact 300  
 ccaaccgcat ccaccacctc cagcactccg actttgtcca cctgtccagc ctgcggcgctc 360  
 tcaacctcaa atggaactgc ccaccgcca gctcagccc catgcacttc cctgtcaca 420  
 tgaccattga gccccacacc ttctggccg tgcccaccct ggaggagctg aacctgagct 480  
 acaacagcat cagcacagta ccgcccctgc ccagttccct cgtgtccctg tccctgagcc 540  
 gtaccaacat cctggtgctg gaccctgcca acctcgagg gctgcactcc ctgcgctttc 600  
 tgttcctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660  
 cgggcgcctt ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720  
 ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcatcacccct ggcacctgag gacctggcca acctgaccgc cctgcgtgtg ctcgatgtgg	840
gtgggaactg ccgtcgctgt gaccacgccc gcaaccctg tatggagtgc cccaagggct	900
tcccgcacct gcacctgac accttcagcc acctgaacca cctcgaaggc ctggtgttga	960
aggacagctc tctctacaac ctgaacccca gatggttcca tgccctgggc aacctcatgg	1020
tgctggacct gagtgagaac ttctatatg actgcatcac caaaaccaca gccttcagg	1080
gcctggccca gctgcgcaga ctcaacttgt ctttcaatta ccacaagaag gtgtcctttg	1140
cccacctgca tctggcgccc tccttcggga gcctgctctc cctgcagcag ctggacatgc	1200
atggcatctt cttccgctcg ctacgcgaga ccacgctccg gtcgctggtc cacctgcccc	1260
tgctccagag tctgcacctg cagatgaact tcatcaatca ggcccagctc agcatcttcg	1320
gggccttccc tggcctgcga tacgtggacc tgtcagacaa ccgcataagt ggagccatgg	1380
agctggcggc tgccacgggg gaggtggatg gtggggagag agtccggctg ccatctgggg	1440
acctagctct gggcccaccg ggcaccccta gtcocgaggg cttcatgcca ggctgcaaga	1500
ccctcaactt caccttggac ctgtcacgga acaacctagt gacaatccag ccagagatgt	1560
ttgccgggct ctgcgcctc cagtgcctgc tcctgagccg caacagcatc tcgcaggcag	1620
tcaacggctc acaatttatg ccgctgacca gcctgcaggc gctggacctg tcccataaca	1680
agctggacct gtaccatggg cgctctttca cggagctgcc gcggtggag gcctggacc	1740
tcagctacaa cagccagccc ttcagcatgc agggcggtgg tcacaacctc agctttgtgg	1800
cacagctgcc ggcctgcgc tatctcagcc tggcgacaaa cgacatccac agccgtgtgt	1860
cccagcagct ctgcagcgc tcgctgcggg ccttggactt cagcggcaat gccttgagcc	1920
ggatgtgggc cgagggagac ctgtatctcc acttcttcg aggcctgagg agcctggtcc	1980
ggttgatct gtcccagaat cgctgcata ccctcttgcc acgcacctg gacaacctcc	2040
ccaagagcct gcggctgctg cgtctccgtg acaattatct ggctttcttc aactggagca	2100
gcctggtcct cctccccagg ctggaagccc tggacctggc gggaaaccag ctgaaggccc	2160
tgagcaacgg cagcttgccct aatggaaccc agctccagag gctggacctc agcagcaaca	2220
gtatcagctt cgtggcctcc agcttttttg ctctggccac caggctgcga gagctcaacc	2280
tcagtgcctc cgccctcaag acggtggagc cctcctgggt cggttctcta gcgggcaccc	2340
tgaaagtcct agatgtgact ggcaaccccc tgactgcgc ctgtggggcg gccttcgtgg	2400
acttcttgct ggaggtgcag gctgcagtgc ccggcctgcc aggccacgtc aagtgtggca	2460
gtccaggtca gctccagggc cgcagcatct ttgcgcagga tctgcgcctc tgcttgatg	2520
aggccctctc ctgggactgt tttggcctct cgctgctgac cgtggccctg ggctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttcac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cgccggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcggggtac 2760  
 ggctagagga gcgcctgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacagggta ggcgcctctt gcgcgccagc tttctgctgg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggatgc ctgcccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tggcgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggctgtgga attgcgactg gctgttctc aagtcctgc cccacttctc ggcggcagcg 180  
 ccccggtgga acgtcaccag cctttccctg tactccaacc gcaccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaattgaa ctgccacccc 300  
 gccagcctca gcccctatga cttccctgt cacatgacca ttgagcccca caccctctctg 360  
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcaccacgac agtaccgccc 420  
 ctgcccagtt cctcgtgtc cctgtccttg agcgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgtactac 540  
 aagaacctct gcccgcaggc cctgcagggt gcccggggcg cctccttg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgcgccggcg cctgcccccc 660  
 agcctggagt acctgtatt gtctacaac cacatcatca cctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccgaag ggcttccgc acctgcacc tgacaccttc 840  
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900

cccagatggg tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta 960  
 tatgactgca tcacaaaaac cacagccttc cagggcctgg ccagctgcg cagactcaac 1020  
 ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc 1080  
 gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcg ctcgctcagc 1140  
 gagaccacgc tccggctgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200  
 aacttcatca atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260  
 gacctgtcag acaaccgcat aagtggagcc atggagctgg cggtgccac gggggagggtg 1320  
 gatgggtggg agagagtccg gctgccatct ggggacctag ctctgggccc accgggcacc 1380  
 cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca 1440  
 cggaacaacc tagtgacaat ccagccagag atgtttgcc ggctctcgcg cctccagtgc 1500  
 ctgctcctga gccgcaacag catctcgag gcagtcaacg gctcacaatt tatgccgtg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620  
 ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740  
 agcctggcgc acaacgacat ccacagccgt gtgtccagc agctctgcag cgcctcgtg 1800  
 cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat 1860  
 ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920  
 cataccctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc 1980  
 cgtgacaatt atctggcttt ctccaactgg agcagcctgg tcctcctccc caggctggaa 2040  
 gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattgga 2100  
 acccagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160  
 tttgctctgg ccaccaggct gcgagagctc aaacctcagt ccaacgccct caagacgggtg 2220  
 gagccctcct ggttcgggtc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280  
 cccctgcact gcgctgtgg ggcggccttc gtggacttct tgctggaggt gcaggtgca 2340  
 gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400  
 atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

&lt;210&gt; 29

&lt;211&gt; 1032

&lt;212&gt; PRT

&lt;213&gt; Mus musculus

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225	230	235	240
Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg	245	250	255
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser	260	265	270
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly	275	280	285
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe	290	295	300
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu	305	310	315
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala	340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu	355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu	370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala	405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr	420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu	435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser	450	455	460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700



Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
 820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
 805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

tgtcagaggg agcctcgagg gaatcctcca tctcccaaca tggttctcgg tgaaggact	60
ctgcacccct tgtccctcct ggtacaggct gcagtgctgg ctgagactct ggccctgggt	120
accctgcctg ccttctctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg	180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg	240
ctctctctga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc	300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgaccat tgagcccaga accttctctg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcaccatct gtctctgaag	660
tataacaacc tcacaaaggt gcccgcgcaa ctgcccccca gcctggagta cctcctgggt	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga	780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcacctg <del>gagaccttc</del> <del>atcactgag</del> <del>ccatctggaa</del>	900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag	1080
aaggatcct ttgccgcct ccacctggca agttccttca agaacctgggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacagct cagatggctg	1200
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc	1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcgatcc tcaccagct ccactgagca cccctgcttc taagaacttc	1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttctgcccgc tgactaatct gcagggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgagggttct tgacttcagc	1860
ggcaacggta tgggcccgcag gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatacct ccggccccag	1980
aaccttgaca acctcccca gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctctg cccaacctgg aagtctaga cctggcaggc	2100
aaccagctaa aggcctgac caatggcacc ctgcctaag gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct gcgggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttgagg gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctgttggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggg	3180
tcccagattg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagagc tgcagtgtg 60  
 gctgagactc tggccctggg taccttgctt gccttctctac cctgtgagct gaagcctcat 120  
 ggcctggtgg actgcaattg gctgttctct aagtctgtac cccgtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgctg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480  
 aacagcctcg ccggcctata cagcctgctc gttctcttca tggacgggaa ctgtacttac 540  
 aagaaccctc gcacaggagc ggtgaagggt accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggt gtctctatac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtcctctc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctctgg tccaaggctt ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc ttgtcccgcc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacagc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaatg 1200  
 aacttcatca accaggcaca gctcagcatc ttgtgtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccagc tccactgagc 1380  
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560



ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620  
 tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680  
 agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740  
 cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800  
 gtgagggtttc ttgacttcag cggcaacggt atggggccgca tgtgggatga ggggggcctt 1860  
 tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920  
 ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980  
 ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040  
 gaagtccatg acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaatt 2100  
 ggcacctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160  
 ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220  
 gtggatcgct cctggtttgg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280  
 aacctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340  
 aaggtgcctg gcctggctaa tgggtggaag tgtggcagcc ccggccagct gcagggccgt 2400  
 agcatcttcg cacaggacct gcggtgtgtc ctggatgagg tcctctcttg ggactgcttt 2460  
 ggc 2463

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                             85                            90                            95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                             100                            105                            110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                             115                            120                            125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                             130                            135                            140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                             145                            150                            155                            160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                             165                            170                            175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                             180                            185                            190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                             195                            200                            205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                             210                            215                            220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                             225                            230                            235                            240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                             245                            250                            255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                             260                            265                            270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                             275                            280                            285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                             290                            295                            300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305	310	315	320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340	345	350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355	360	365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370	375	380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405	410	415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu	435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu	450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530	535	540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420                      425                      430  
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu  
     435                      440                      445  
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu  
     450                      455                      460  
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser  
     465                      470                      475                      480  
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
                     485                      490                      495  
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val  
                     500                      505                      510  
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu  
     515                      520                      525  
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu  
     530                      535                      540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
     545                      550                      555                      560  
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
                     565                      570                      575  
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
                     580                      585                      590  
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
     595                      600                      605  
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
     610                      615                      620  
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
     625                      630                      635                      640  
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
                     645                      650                      655



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Ala  
 820

<210> 35  
 <211> 3352  
 <212> DNA  
 <213> Homo sapiens

<400> 35  
 aggctggtat aaaaatctta ctctctctat tctctgagcc gctgctgccc ctgtgggaag 60  
 ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagaccct 120  
 ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180  
 ctctgtgtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240  
 ctaccctgtg agctccagcc ccaaggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcaccocgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgtgccc aaatccctca taccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctgcgggcc tgcatgccct gcgcttccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgccctcc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgctcta caaccgcatc	840
gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgtgcga ccacgtccc aaccctgca tggagtgcc tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgtcact cgatgagacc acgctccggc cactggcccg cctgcccatt	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg	1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gccagctct cgcacctgca gtgcctgagc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggt ctgcagggtc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttegtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggccat	1980
atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttgc tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg cctcaagac agtggaccac tcctggtttg ggccctggc gaggccctg 2400  
 caaatactag atgtaagcgc caacctctg cactgcccct gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccggggccagc tccagggcct cagcatctt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctct gggactgtt cgcctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtgg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcaactccgc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaacct ctttgagaac ctgtgggct cggctctatg cagccgcaag 2940  
 acgctgtttg tgctggcca caccggaccg gtcagtggc tcttgcgcg cagcttctg 3000  
 ctggcccagc agcgctgct ggaggaccgc aaggacgtc tgggtgctgt gatcctgagc 3060  
 cctgacggcc gccgctccc ctacgtgcg ctgcgccagc gcctctgcc ccagagtgtc 3120  
 ctctctggc cccaccagc cagtggtcag cgcagcttct gggcccagct gggcatggc 3180  
 ctgaccagg acaaccacca cttctataac cggaaactt gccagggacc caccggcgaa 3240  
 tagcgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctgacc ctcccctgct cgcctccct accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gcgcagcgc cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgacct tggccctggg taccttgct gccttctac cctgtgagct ccagccccac 120  
 ggctggtga actgcaactg gctgttctg aagtctgtgc ccaacttct catggcagca 180  
 cccgtggca atgtcaccag ctttctctg tcctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg	300
gttgacctca gcccacatgca cttccccctgc cacatgacca tcgagcccag caccttcttg	360
gctgtgcca ccttggaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgccccaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg ccggcctgca tgccctgcgc ttctattca tggacggcaa ctgttattac	540
aagaacctct gcaggcaggc actggagggtg gccccgggtg ccctccttg cctgggcaac	600
ctcaccacc tgtcactcaa gtacaacaac ctactgtgg tgccccgcaa cctgccttcc	660
agcctggagt atctgctgtt gtctacaac cgcctcgtca aactggcgcc tgaggacctg	720
gccaatctga ccgccctgcg tgtgctcgat gtggcgga attgccgcg ctgcgaccac	780
gtcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggcctgggtg ttgaaggaca gttctctctc ctggtgaat	900
gccagttggt tccgtgggt gggaaacctc cgagtgtgg acctgagtga gaacttctc	960
tacaaatgca tcaactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggggtgtcc ttgcccacc tgtctctggc cccttcttc	1080
gggagcctgg tcgccctgaa ggagctggac atgcacggca tcttcttcg ctactcgat	1140
gagaccacgc tccggccact ggcccgctg cccatgtcc agactctgcg tctgcagatg	1200
aacttcatca accaggccca gctcggcatc ttcaggcct tccctggcct gcgctacgtg	1260
gacctgtcg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggctctg gctgcagcct ggggacctg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca	1440
cggaacaacc tgggtgacct gcagcggag atgtttgccc agctctcgca cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgcag gcagtcaatg gctcccagtt cctgcgcgtg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgcaccct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgtg	1800
cgggcccctg acttcagcgg caatgcactg ggccatatgt gggccgagg agaccttat	1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtcca gaaccgctg	1920
cacacctcc tgccccaaac cctgcgcaac ctccccaaaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt cttaagtgg tggagcctcc acttcctgcc caaactggaa	2040

gtcctcgacc tggcaggaaa cgggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtcc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 tttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcaact gcgcctgtgg ggcgcccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcaca a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence



<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgtcgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1

5

10

15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr  
20 25 30

&lt;210&gt; 70

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial sequence

&lt;220&gt;

&lt;223&gt; Synthetic oligonucleotide

&lt;400&gt; 70

tccaggactt ctctcaggtt

20